Salmonid Catch-Data from Campbell River and Discovery Passage, 1984

T. J. Brown, B. A. Kask, B. D. Chang, M. Kotyk,
C. D. McAllister, J. S. Macdonald and
C. D. Levings

Department of Fisheries and Oceans
Fisheries Research Branch
Pacific Biological Station
Nanaimo, British Columbia V9R 5K6

December 1984

Canadian Data Report of Fisheries and Aquatic Sciences No. 497

85-4250/

Canadian Data Report of Fisheries and Aquatic Sciences

Data reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of data reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries and aquatic sciences.

Data reports are not intended for general distribution and the contents must not be referred to in other publications without prior written authorization from the issuing establishment. The correct citation appears above the abstract of each report. Data reports are abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was introduced with the publication of report number 161.

Data reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out-of-stock reports will be supplied for a fee by commercial agents.

Rapport statistique canadien des sciences halieutiques et aquatiques

Les rapports statistiques servent à classer et à archiver les compilations de données pour lesquelles il y a peu ou point d'analyse. Ces compilations auront d'ordinaire été préparées à l'appui d'autres publications ou rapports. Les sujets des rapports statistiques reflètent la vaste gamme des intérêts et des politiques du ministère des Pêches et des Océans, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports statistiques ne sont pas destinés à une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact paraît au-dessus du résumé de chaque rapport. Les rapports statistiques sont résumés dans la revue *Résumés des sciences aquatiques et halieutiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros 1 à 25 de cette série ont été publiés à titre de relevés statistiques, Services des pêches et de la mer. Les numéros 26 à 160 ont été publiés à titre de rapports statistiques du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établi lors de la parution du numéro 161.

Les rapports statistiques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Canadian Data Report of

Fisheries and Aquatic Sciences No. 497

December 1984

SALMONID CATCH-DATA FROM CAMPBELL RIVER AND DISCOVERY PASSAGE, 1984

by

T. J. Brown[1], B. A. Kask[1], B. D. Chang[2], M. Kotyk[2],
C. D. McAllister[1], J. S. Macdonald[2] and C. D. Levings[2]

[1]Department of Fisheries and Oceans
Salmon Habitat Research Section
Fisheries Research Branch
Pacific Biological Station
Nanaimo, British Columbia V9R 5K6

[2]Department of Fisheries and Oceans
Salmon Habitat Research Section
Fisheries Research Branch
West Vancouver Laboratory
4160 Marine Drive
West Vancouver, British Columbia V7V 1N6

(c)Minister of Supply and Services Canada 1984

Cat.No.Fs 97-13/497E ISSN 0706-6465

Correct citation for this publication:

Brown, T. J., B. A. Kask, B. D. Chang, M. Kotyk, C. D. McAllister, J. S. Macdonald and C. D. Levings. 1984. Salmonid catch-data from Campbell River and Discovery Passage, 1984. Can. Data Rep. Fish. Aquat. Sci. 497: 79 p.

ABSTRACT

Brown, T. J., B. A. Kask, B. D. Chang, M. Kotyk, C. D. McAllister, J. S. Macdonald and C. D. Levings. 1984. Salmonid catch-data from Campbell River and Discovery Passage, 1984. Can. Data Rep. Fish. Aquat. Sci. 497: 79 p.

The salmonid catch data were obtained by beach seining during 17 trips to Campbell River from January to September 1984. This report presents the data in order sorted by trip.

RÉSUMÉ

Brown, T. J., B. A. Kask, B. D. Chang, M. Kotyk, C. D. McAllister, J. S. Macdonald and C. D. Levings. 1984. Salmonid catch-data from Campbell River and Discovery Passage, 1984. Can. Data Rep. Fish. Aquat. Sci. 497: 79 p.

Le rapport présente dans l'ordre des expéditions, des données sur les saumons capturés à l'aide de sennes de rivage, au cours de 17 levés effectués dans la rivère Campbell de janvier à septembre 1984.

INTRODUCTION

Data on 1984 catches of juvenile salmon in the estuary of the Campbell River and adjacent waters are reported here. The surveys were initiated in March, 1982 to assess the utilization of recently reclaimed estuarine habitat relative to that of other parts of the estuary. The reclaimed habitat consists of four new intertidal islets in the central portion of the estuary, constructed and planted with marsh grasses in the winter of 1981-82. The objective was to clean up debris in a former log handling area, increase shoreline rearing area, and to augment marsh inputs to estuarine food webs.

The 1984 survey, like that of 1983, also provided data on dispersal of tagged chinook smolts released directly from the hatchery into river, estuarine, transition and marine habitats for comparison of survival (Kotyk et al. in preparation). The 1982 and 1983 catch data are reported in Brown et al. 1983, 1984.

MATERIALS AND METHODS

Seventeen trips of two to four days were made to the Campbell River area from January to September 1984 (Table 1). The fish were caught using a 13.7 m beach seine with wings 4.6 m (1 cm stretched mesh), bunt 4.6 m (0.6 cm stretched mesh) and depth of 3 m.

The sampling was carried out at 43 stations from the Deepwater Bay area (stations 32, 321, and 328) to the north, to Hidden Cove (station 212) to the south (Fig. 1). A description of each station is presented in Table 2. The majority of the stations (26) are located in and around the Campbell River estuary (Fig. 2) while 17 stations are along Discovery Passage (Fig. 1). The duplicate sets were made at each station with the use of a 5 m inflatable boat. Species and marked salmon were identified and counted.

The catches were held in the bunt of the net while being counted and subsampled. When the fish numbers were too large they were held in floating pens. The subsampled fish were preserved in 10% formalin for length-weight determinations and stomach analysis. The coded wire tags were read to determine release origins, growth, residency and rate of dispersal of hatchery fish.

The temperature and salinity were taken at each station using a Beckman RS-5 salinometer.

RESULTS

There were 1445 sets made during the 17 sampling trips and 56,582 salmonids were identified and counted (Table 3, 4).

REFERENCES

Brown, T. J., C. D. McAllister, C. D. Levings and M. Kotyk. 1983. Salmonid catch-data from Campbell River and Discovery Passage, 1982. Can. Data Rep. Fish. Aquat. Sci. No. 416: 97 p.

Brown, T. J., C. D. McAllister, C. D. Levings, M. Kotyk, B. D. Chang and J. S. Macdonald. 1984. Salmonid catch-data from Campbell River and Discovery Passage, 1983. Can. Data Rep. Fish. Aquat. Sci. No. 444: 97 p.

Kotyk, M. S., C. D. Levings, T. J. Brown, B. A. Kask, C. D. McAllister and J. S. Macdonald. An account of an experimental release of marked juvenile chinook to freshwater, estuarine and marine habitats near Campbell River, B.C. 1984. Can. Tech. Rep. Fish. Aquat. Sci. in preparation.

Table 1. Sampling periods in 1984.

Trip No.	Date
1	Jan 9-11
2	Feb 6- 8
3	Mar 7- 9
4	Mar 20-21
5	Apr 3- 5
6	Apr 16-18
7	Apr 24-28
8	May 1- 4
9	May 14-17
10	June 4- 6
11	June 18-21
12	July 3- 6
13	July 17-19
14	July 31-Aug 2
15	Aug 14-16
16	Aug 28-30
17	Sept 25-27

Table 2. Station descriptions and habitat types.

Station designation (number, vernacular)	Description, habitat
1 (M. Ramp)	Beside Coval Air seaplane ramp, west side of Tyee Spit; sand, marsh at high elevation; moderate slope.
2 (Nunns Is.)	Southeast tip of Nunns Island; sand/mud, marsh at high elevation; moderate slope.
3 (Nunns Creek)	Southwest side of Nunns Creek mouth; marsh; very steep drop-off.
4 (Spit)	Northwest tip of Tyee Spit; gravel; very steep drop-off.
5 (Bar)	Sand/gravel bar on north side of river mouth channel; eelgrass at lower elevations; moderate drop-off. Exposed when tide levels < est. 2 m.
6 (Bulkhead)	Gravel beach by wooden bulkhead, west side of Campbell River; moderate drop-off.
7 (NBM)	South shore of north arm of Baikie's Slough at confluence with Campbell River; marsh at higher elevations, eelgrass at lower elevations; moderate drop-off.
8 (NBS)	North shore of north arm of Baikie's Slough at confluence with channel leading to Freshwater Marina; marsh at higher elevations, mud-wood debris at lower elevations; moderate drop-off.
10 (SBM)	South shore of south arm of Baikie's Slough at confluence with Campbell River; sand, moderate drop-off.
11 (Isl. No. 1)	Bay on Island No. 1: transplanted marsh at higher elevations; mud/wood debris at lower elevations; shallow slope.
111 (Grass Isl.)	North side of Natural island south of Island No. 1; sand/mud marsh at higher elevation; steep drop for 1 m then moderate slope.
13	South side of Island No. 2; in tidal channel between Island No. 1 and Island No. 2; mud/transplanted marsh at moderate to high elevations; gravel at low elevations; moderate slope.

Table 2 (cont'd)

Station designation (number, vernacular)	Description, habitat
14 (Isl. No. 3, M.R.)	Experimental tidal groove on Island No. 3; middle groove on river side; transplanted marsh at higher elevations; gravel, mud/wood/algae at lower elevations; moderate slope.
141 (Isl. No. 3, U.R.)	Experimental tidal groove on Island No. 3; upstream groove on river side; transplanted marsh at higher elevations; gravel, mud/wood/algae at lower elevations; steep slope.
15 (Isl. No. 3, M.S.)	Experimental tidal groove on Island No. 3; middle groove on Spit side; transplanted marsh at higher elevations; gravel, mud/wood/algae at lower elevations; moderate slope.
151 (Isl. No. 3, U.S.)	Experimental tidal groove on Island No. 3; upstream groove on Spit side transplanted marsh at higher elevations; gravel, mud/wood/algae at lower elevations; moderate slope.
16 (Isl. No. 3, L.R.)	Experimental tidal groove on Island No. 3; downstream groove, river side; mud/wood/algae at lower elevations; moderate shallow slope.
17 (Isl. No. 3, L.S.)	Experimental tidal groove on Island No. 3; downstream groove, Spit side; gravel, mud/wood/algae at lower elevations, moderate shallow slope.
18	Southwest side of Island No. 4; gravel, mud/wood debris at lower elevations; shallow slope.
20 (Boat Ramp)	Next to boat launch ramp on east side of Tyee Spit; gravel/cobble beach; moderate slope.
21 (McDonald's)	Est. 200 m north of ferry dock, Campbell River, gravel/cobble; moderate slope. Exposed on tide levels < 2 m; adjacent to rip-rap.
212 (Hidden Cove)	In or at entrance to a small embayment est. 500 m south of Anchor Inn Hotel; cobble; inside a kelp bed; shallow slope.
22 (North Painter's)	Est. 500 m north of Painter's Lodge; sand beach; boulders in lower elevation; moderate slope.

Table 2 (cont'd)

Station designation (number, vernacular)	Description, habitat
23 (Middle Point)	Est. 700 m south of Middle Point; sand with boulders in lower elevations; inside a kelp bed; shallow slope.
24 (Nymphe Cove)	Small cove in west side of southern entrance to Seymour Narrows; gravel with boulders in lower elevations; inside a kelp bed; steep slope; sand flat with eelgrass on west beach.
241 (Menzies II)	Northeast corner of Menzies Bay, cobble beach, shallow slope with log booms adjacent.
25 (Maude Beach)	Beach est. 1.5 km southeast of entrance to Saltwater Lagoon; gravel in higher elevatons, mud, eelgrass in lower elevaton, kelp bed; shallow slope.
26 (Quadra)	Beach in front of Walcan Cannery; cobble/boulder; eel grass, kelp beds; moderate to steep slope.
27 (Outer Gowlland)	Beach on southwest side of Gowlland Island; cobble/boulder; kelp beds; moderate slope.
28 (Inner Gowlland)	Beach in small cove at south entrance to Gowlland Harbour; cobble, with some boulders; high sea cucumber/sea urchin population; moderate to shallow slope with steep drop-off.
29 (Q. Cove)	Beach on southwest side of ferry dock in Quathiaski Cove; sand/mud; shallow slope with steep drop-off at outer edge.
292 (Unkak Cove)	Cove at north end of Quanthiaski Cove; sand/mud; eelgrass patches; shallow slope.
30 (Brown Bay)	Small bay at northwest entrance to Seymour Narrows; approximately 500 m south of Browns Bay; high density kelp bed; cobble with boulders at low elevations; moderate to steep slope.
31 (Plumper Bay)	Beach immediately southeast of rocky cliffs on north side of Plumper Bay; gravel in higher elevation, mud, eelgrass in lower elevation, kelp bed; moderate slope.

Table 2 (cont'd)

Station designation (number, vernacular)	Description, habitat
32 (Deepwater Bay)	Beach in southeast corner of Deepwater Bay; gravel/sand beach with small freshwater drainage; shallow slope.
34 (Painter's Channel)	Eastern shore on a channel near Painter's Lodge exposed on tides < 2 m; mud/sand with eelgrass in lower elevation; shallow slope.
35 (Outer Bar)	Beach approximately 100 m north of Station 5; sand/gravel bar, eelgrass at lower elevation; moderate slope with steep drop-off. Exposed on tides < 2 m.
37 (Log Sort)	Within bay of B.C. Forest Products log sorting area; log booms; rip-rap; steep slope.
47 (Fred's Slough)	Small beach on channel south of Baikie's Slough; overgrown with willows; wood debris, backing onto Raven Lumber sorting yard; shallow slope.
48 (Fred's Elbow)	Small beach in a bend upstream of station 47 in a channel south of Baikie's Slough; gravel; across from Raven Lumber sorting yard; moderate slope.
321 (Old DWB)	Beach at old log dump site on east side of Deepwater Bay, sand/cobble; moderate slope.
322 (Sea Lion Cove)	Beach in southwest corner of Deepwater Bay; gravel/sand beach; shallow slope, eelgrass at lower elevation.
328 (Stn. H)	A cobble beach 2 km north of Browns Bay; small freshwater drainage, kelp bed and moderate slope.

Table 3. Catch data for the Campbell River area in 1982.

Trip number	- corresponds to the consecutive sampling trips from January to September 1984 (see Table 1).
Date (year, month, day)	- the catch data are arranged in chronological order except for trip 7 when two beach seines were used.
Time-PST	- the time each set was made in Pacific Standard Time.
SN	- station number (see Fig. 1, 2 and Table 2).
Haul	- each set is progressively numbered by station for each trip.
Total sets	- the maxiumum number of hauls for each station on each trip.
Tide type	- 1 = ebb; 2 = flood.
Min to slack	- minutes to nearest slack water.
Temp.	- temperature (°C).
Sal.	- salinity (°/••)
Species code	- 1 pink salmon - 2 chum salmon - 3 coho salmon - 4 sockeye salmon - 5 chinook salmon - 6 cutthroat trout - 7 steelhead trout - 10 unidentified
Group code	- 1 marked (CWT) - adipose fin clip. - 2 unmarked hatchery - distinguished from the wild population early in the year by size. - 3 wild - distinguished from the hatchery fish by size. - 4 not specified. This group is used when the wild fish and unmarked hatchery fish are non-distinguishable by size.
Stage code	- 1 alevin - 2 fingerling - 3 fry - 4 smolt - 5 grilse - 6 adult
(blank)	- missing data

Table 3 (cont'd)

Catch	- the total catch by species and group.
Tide height meters	- the tide height in meters at the time of each set.

Table 4. Catch Data.

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
1	84	1	9	1755	47	1	6	2	-35	4.8	0.0					2.8
1	84	1	9	1800	47	2	6	2	-40	4.8	0.0					2.8
1	84	1	9	1808	10	1	6	2	-48	4.5	0.0					2.8
1	84	1	9	1813	10	2	6	2	-53	4.5	0.0					2.9
1	84	1	9	1818	7	1	6	2	-58	4.8	0.3					2.9
1	84	1	9	1823	7	2	6	2	-63	4.8	0.3					2.9
1	84	1	9	1830	8	1	6	2	-70	4.8	0.4					2.9
1	84	1	9	1835	8	2	6	2	-75	4.8	0.4					2.9
1	84	1	9	1840	6	1	6	2	-80	4.2	0.4					3.0
1	84	1	9	1845	6	2	6	2	-85	4.2	0.4					3.0
1	84	1	9	1855	11	1	2	2	-95	4.7	0.3					3.0
1	84	1	9	1913	111	1	4	2	107	4.5	0.3					3.1
1	84	1	9	1918	111	2	4	2	102	4.5	0.3					3.1
1	84	1	9	1930	4	1	8	2	90	4.2	1.3	3	3		1	3.1
1	84	1	9	1935	4	2	8	2	85	4.2	1.3					3.1
1	84	1	9	1945	1	1	6	2	75	4.3	1.0					3.1
1	84	1	9	1950	1	2	6	2	70	4.3	1.0					3.1
1	84	1	9	2000	2	1	4	2	60	4.2	1.1					3.2
1	84	1	9	2005	2	2	4	2	55	4.2	1.1					3.2
1	84	1	9	2030	20	1	2	2	30	7.5	28.9					3.2
1	84	1	9	2035	20	2	2	2	25	7.5	28.9					3.2
1	84	1	9	2050	47	3	6	2	10	4.1	0.0					3.2
1	84	1	9	2055	47	4	6	2	5	4.1	0.0					3.2
1	84	1	9	2112	10	3	6	1	-12	4.2	0.0					3.2
1	84	1	9	2117	10	4	6	1	-17	4.2	0.0					3.2
1	84	1	9	2126	7	3	6	1	-26	4.5	0.3					3.2
1	84	1	9	2131	7	4	6	1	-31	4.5	0.3					3.2
1	84	1	9	2147	8	3	6	1	-47	4.4	0.3	5	4		1	3.1
1	84	1	9	2152	8	4	6	1	-52	4.4	0.3					3.1
1	84	1	9	2200	6	3	6	1	-60	4.1	0.0					3.1
1	84	1	9	2205	6	4	6	1	-65	4.1	0.0					3.1
1	84	1	9	2220	4	3	8	1	-80	4.2	1.1					3.0
1	84	1	9	2225	4	4	8	1	-85	4.2	1.1					3.0

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
1	84	1	9	2227	4	5	8	1	-87	4.2	1.1					3.0
1	84	1	9	2232	4	6	8	1	-92	4.2	1.1					3.0
1	84	1	9	2242	1	3	6	1	-102	4.4	1.1					3.0
1	84	1	9	2247	1	4	6	1	-107	4.4	1.1					3.0
1	84	1	10	1306	27	1	2	1	-181	7.9	30.4					3.7
1	84	1	10	1311	27	2	2	1	-186	7.9	30.4					3.7
1	84	1	10	1345	21	1	2	1	-220	7.8	30.7					3.6
1	84	1	10	1350	21	2	2	1	-225	7.8	30.7					3.6
1	84	1	10	1740	151	1	1	1	30	3.8	0.0					2.6
1	84	1	10	1745	141	1	1	1	25	3.8	0.0					2.6
1	84	1	10	1750	14	1	1	1	20	3.8	0.0					2.6
1	84	1	10	1755	15	1	1	1	15	3.8	0.0					2.6
1	84	1	10	1815	18	1	2	2	-5	3.7	0.0					2.6
1	84	1	10	1820	18	2	2	2	-10	3.7	0.0	5	4		1	2.6
1	84	1	10	1830	11	2	2	2	-20	4.0	0.0					2.6
1	84	1	10	1845	111	3	4	2	-35	4.1	0.0					2.6
1	84	1	10	1850	111	4	4	2	-40	4.1	0.0					2.6
1	84	1	10	1907	2	3	4	2	-57	3.8	0.0					2.7
1	84	1	10	1912	2	4	4	2	-62	3.8	0.0					2.7
1	84	1	10	1918	3	1	2	2	-68	3.8	0.0					2.7
1	84	1	10	1923	3	2	2	2	-73	3.8	0.0					2.7
1	84	1	10	1930	1	5	6	2	-80	3.7	0.0					2.7
1	84	1	10	1935	1	6	6	2	-85	3.7	0.0					2.7
1	84	1	10	1940	4	7	8	2	-90	3.6	0.0					2.7
1	84	1	10	1945	4	8	8	2	-95	3.6	0.0					2.7
1	84	1	10	1955	6	5	6	2	-105	3.8	0.0					2.7
1	84	1	10	2000	6	6	6	2	-110	3.8	0.0					2.8
1	84	1	10	2005	7	5	6	2	-115	3.9	0.0					2.8
1	84	1	10	2010	7	6	6	2	-120	3.9	0.0					2.8
1	84	1	10	2015	8	5	6	2	-125	4.0	0.0	5	4		1	2.8
1	84	1	10	2020	8	6	6	2	-130	4.0	0.0					2.8
1	84	1	10	2032	10	5	6	2	-142	3.7	0.0					2.9
1	84	1	10	2037	10	6	6	2	138	3.7	0.0					2.9

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
1	84	1	10	2042	47	5	6	2	133	3.6	0.0					2.9
1	84	1	10	2047	47	6	6	2	128	3.6	0.0	3	3		1	2.9
2	84	2	6	1425	47	1	4	1	70	6.7	0.0					2.9
2	84	2	6	1430	47	2	4	1	65	6.7	0.0					2.9
2	84	2	6	1435	10	1	4	1	60	4.0	0.0					2.9
2	84	2	6	1440	10	2	4	1	55	4.0	0.0					2.9
2	84	2	6	1445	7	1	6	1	50	4.0	0.5	2	3		1	2.8
2	84	2	6	1450	7	2	6	1	45	4.0	0.5					2.8
2	84	2	6	1455	8	1	4	1	40	4.2	0.0					2.8
2	84	2	6	1500	8	2	4	1	35	4.2	0.0					2.7
2	84	2	6	1505	6	1	4	1	30	3.8	0.0					2.7
2	84	2	6	1510	6	2	4	1	25	3.8	0.0					2.7
2	84	2	6	1515	4	1	8	1	20	3.7	0.0					2.7
2	84	2	6	1520	4	2	8	1	15	3.7	0.0					2.7
2	84	2	6	1525	4	3	8	1	10	3.7	0.0					2.7
2	84	2	6	1530	4	4	8	1	5	3.7	0.0					2.7
2	84	2	6	1535	1	1	6	1	0	3.8	1.6					2.7
2	84	2	6	1540	1	2	6	2	-5	3.8	1.6					2.7
2	84	2	6	1545	3	1	4	2	-10	4.0	1.1					2.7
2	84	2	6	1550	3	2	4	2	-15	4.0	1.1					2.7
2	84	2	6	1555	2	1	4	2	-20	3.7	1.3					2.7
2	84	2	6	1600	2	2	4	2	-25	3.7	1.3					2.7
2	84	2	6	2130	10	3	4	1	-100	3.7	0.0					3.1
2	84	2	6	2135	10	4	4	1	-105	3.7	0.0					3.1
2	84	2	6	2140	47	3	4	1	-110	3.6	0.0					3.1
2	84	2	6	2150	47	4	4	1	-120	3.6	0.0					3.0
2	84	2	6	2200	7	3	6	1	-130	3.7	0.5					3.0
2	84	2	6	2202	7	4	6	1	-132	3.7	0.5					3.0
2	84	2	6	2215	8	3	4	1	-145	3.9	0.0					2.9
2	84	2	6	2220	8	4	4	1	-150	3.9	0.0					2.9
2	84	2	6	2230	4	5	8	1	-160	3.9	1.9					2.9
2	84	2	6	2235	4	6	8	1	-165	3.9	1.9					2.8
2	84	2	6	2245	1	3	6	1	-175	3.9	1.5					2.8

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
2	84	2	6	2250	1	4	6	1	175	3.9	1.5					2.8
2	84	2	6	2304	2	3	4	1	161	3.9	0.5					2.7
2	84	2	6	2310	2	4	4	1	155	3.9	0.5					2.7
2	84	2	6	2315	3	3	4	1	150	4.2	1.9					2.7
2	84	2	6	2320	3	4	4	1	145	4.2	1.9					2.6
2	84	2	6	2335	151	1	1	1	130	3.5	0.0					2.6
2	84	2	6	2338	141	1	1	1	127	3.5	0.0					2.6
2	84	2	6	2340	14	1	1	1	125	3.5	0.0					2.5
2	84	2	6	2344	15	1	1	1	121	3.5	0.0					2.5
2	84	2	6	2348	16	1	1	1	117	3.5	0.0					2.5
2	84	2	6	2400	17	1	1	1	105	3.5	0.0					2.5
2	84	2	7	0020	18	1	2	1	85							2.4
2	84	2	7	0025	18	2	2	1	80							2.3
2	84	2	7	1330	27	1	2	1	160	7.9	32.3					3.0
2	84	2	7	1336	27	2	2	1	154	7.9	32.3					3.0
2	84	2	7	1420	20	1	2	1	110	7.7	31.5					2.8
2	84	2	7	1425	20	2	2	1	105	7.7	31.5					2.8
2	84	2	7	1500	21	1	2	1	70	7.9	31.5					2.6
2	84	2	7	1505	21	2	2	1	65	7.9	31.5					2.5
2	84	2	7	1615	11	1	1	2	-5	4.4	0.0					2.5
2	84	2	7	1620	111	1	2	2	-10	4.5	0.0					2.5
2	84	2	7	1625	111	2	2	2	-15	4.5	0.0					2.5
2	84	2	7	1635	6	3	4	2	-25	3.6	0.0					2.5
2	84	2	7	1640	6	4	4	2	-30	3.6	0.0					2.5
2	84	2	7	1650	7	5	6	2	-40	3.6	0.0					2.5
2	84	2	7	1655	7	6	6	2	-45	3.6	0.0	5	4		2	2.6
2	84	2	7	1705	4	7	8	2	-55	3.5	0.5					2.6
2	84	2	7	1710	4	8	8	2	-60	3.5	0.5					2.6
2	84	2	7	1715	1	5	6	2	-65	3.7	0.0					2.6
2	84	2	7	1720	1	6	6	2	-70	3.7	0.0					2.6
3	84	3	7	1305	47	1	6	1	105	4.6	0.0	5	3		2	2.2
3	84	3	7	1310	47	2	6	1	100	4.6	0.0	3	3		3	2.2
3	84	3	7	1325	10	1	4	1	85	5.0	0.0	5	3		1	2.1

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
3	84	3	7	1330	10	2	4	1	80	5.0	0.0					2.1
3	84	3	7	1335	7	1	8	1	75	5.3	0.6					2.1
3	84	3	7	1340	7	2	8	1	70	5.3	0.6					2.1
3	84	3	7	1350	6	1	4	1	60	5.2	0.6					2.0
3	84	3	7	1355	8	2	4	1	55	5.2	0.6					2.0
3	84	3	7	1400	6	1	4	1	50	5.3	0.8					2.0
3	84	3	7	1405	6	2	4	1	45	5.3	0.8					2.0
3	84	3	7	1415	1	1	4	1	35	4.8	0.8	3	3		1	1.9
3	84	3	7	1415	1	1	4	1	35	4.8	0.8	2	3		1	1.9
3	84	3	7	1420	1	2	4	1	30	4.8	0.8					1.9
3	84	3	7	1430	2	1	4	1	20	5.1	0.4					1.9
3	84	3	7	1435	2	2	4	1	15	5.1	0.4					1.9
3	84	3	7	1440	3	1	4	1	10	5.1	0.5					1.9
3	84	3	7	1445	3	2	4	1	5	5.1	0.5					1.9
3	84	3	7	1450	4	1	4	1	0	4.9	0.5					1.9
3	84	3	7	1455	4	2	4	2	-5	4.9	0.5					1.9
3	84	3	7	1505	20	1	4	2	-15	8.2	29.7					2.0
3	84	3	7	1510	20	2	4	2	-20	8.2	29.7					2.0
3	84	3	7	1522	21	1	2	2	-32	8.4	32.0					2.0
3	84	3	7	1527	21	2	2	2	-37	8.4	32.0					2.0
3	84	3	7	1555	27	1	4	2	-65	8.4	32.3					2.1
3	84	3	7	1600	27	2	4	2	-70	8.4	32.3					2.1
3	84	3	7	1618	17	1	2	2	-88	4.9	0.3					2.2
3	84	3	7	1620	16	1	2	2	-90	4.7	0.3					2.2
3	84	3	7	1625	15	1	2	2	-95	4.9	0.3					2.3
3	84	3	7	1627	14	1	2	2	-97	4.7	0.3					2.3
3	84	3	7	1630	141	1	2	2	-100	4.7	0.3					2.3
3	84	3	7	1635	151	1	2	2	-105	4.9	0.3					2.3
3	84	3	7	1640	18	1	4	2	-110	4.6	0.8					2.4
3	84	3	7	1645	18	2	4	2	-115	4.6	0.8					2.4
3	84	3	7	1655	11	1	2	2	-125			2	3		1	2.5
3	84	3	7	1710	111	1	2	2	-140							2.6
3	84	3	7	1715	111	2	2	2	-145							2.6

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
3	84	3	8	1105	47	3	6	1	-200							3.1
3	84	3	8	1110	47	4	6	1	-205							3.1
3	84	3	8	1120	48	1	1	1	-215							3.0
3	84	3	8	1130	10	3	4	1	-225	4.8	0.6					3.0
3	84	3	8	1135	10	4	4	1	-230	4.8	0.6					3.0
3	84	3	8	1140	7	3	8	1	235							2.9
3	84	3	8	1145	7	4	8	1	230			5	3		1	2.9
3	84	3	8	1307	8	3	4	1	143							2.4
3	84	3	8	1310	8	4	4	1	140			5	4		1	2.4
3	84	3	8	1318	7	5	8	1	132							2.3
3	84	3	8	1320	7	6	8	1	130							2.3
3	84	3	8	1325	6	3	4	1	125							2.3
3	84	3	8	1330	6	4	4	1	120							2.3
3	84	3	8	1338	1	3	4	1	112							2.3
3	84	3	8	1340	1	4	4	1	110							2.3
3	84	3	8	1348	2	3	4	1	102							2.3
3	84	3	8	1351	2	4	4	1	99							2.2
3	84	3	8	1358	3	3	4	1	92							2.2
3	84	3	8	1400	3	4	4	1	90							2.1
3	84	3	8	1410	4	3	4	1	80							2.1
3	84	3	8	1415	4	4	4	1	75							2.0
3	84	3	8	1425	27	3	4	1	65							1.9
3	84	3	8	1430	27	4	4	1	60							1.9
3	84	3	8	1455	25	1	2	1	35	8.4	31.0					1.8
3	84	3	8	1500	25	2	2	1	30	8.4	31.0					1.8
3	84	3	8	1515	23	1	2	1	15	8.0	32.0					1.8
3	84	3	8	1520	23	2	2	1	10	8.0	32.0					1.8
3	84	3	8	1540	34	1	2	2	-10	6.3	2.6					1.8
3	84	3	8	1545	34	2	2	2	-15	6.3	2.6					1.8
3	84	3	8	1555	20	3	4	2	-25	8.0	29.3					1.8
3	84	3	8	1600	20	4	4	2	-30	8.0	29.3					1.9
3	84	3	8	1620	17	2	2	2	-50							1.9
3	84	3	8	1625	16	2	2	2	-55							1.9

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
3	84	3	8	1627	14	2	2	2	-57							1.9
3	84	3	8	1630	15	2	2	2	-60			5	3		2	2.0
3	84	3	8	1630	15	2	2	2	-60			2	3		2	2.0
3	84	3	8	1635	151	2	2	2	-65			2	3		2	2.0
3	84	3	8	1635	151	2	2	2	-65			3	3		4	2.0
3	84	3	8	1635	151	2	2	2	-65			5	3		1	2.0
3	84	3	8	1640	141	2	2	2	-70			2	3		1	2.1
3	84	3	8	1650	18	3	4	2	-80							2.1
3	84	3	8	1655	18	4	4	2	-85							2.1
3	84	3	8	1710	11	2	2	2	-100			5	3		6	2.2
3	84	3	8	1710	11	2	2	2	-100			2	3		1	2.2
3	84	3	8	1727	7	7	8	2	-117			5	3		1	2.2
3	84	3	8	1727	7	7	8	2	-117			2	3		1	2.2
3	84	3	8	1730	7	8	8	2	-120							2.2
3	84	3	8	1735	47	5	6	2	-125			5	3		2	2.3
3	84	3	8	1740	47	6	6	2	-130			5	3		1	2.3
4	84	3	20	1335	10	1	4	1	25	5.0	0.0					1.5
4	84	3	20	1340	10	2	4	1	20	5.0	0.0	1	4		1	1.5
4	84	3	20	1340	10	2	4	1	20	5.0	0.0	3	3		1	1.5
4	84	3	20	1340	10	2	4	1	20	5.0	0.0	5	3		2	1.5
4	84	3	20	1350	7	1	6	1	10	5.4	1.2	1	4		1	1.4
4	84	3	20	1350	7	1	6	1	10	5.4	1.2	5	3		2	1.4
4	84	3	20	1355	7	2	6	1	5	5.4	1.2					1.4
4	84	3	20	1410	8	1	4	2	-10	6.0	0.9	2	3		1	1.4
4	84	3	20	1410	8	1	4	2	-10	6.0	0.9	6	3		1	1.4
4	84	3	20	1415	8	2	4	2	-15	6.0	0.9	5	3		2	1.4
4	84	3	20	1420	6	1	2	2	-20	4.9	0.8					1.5
4	84	3	20	1425	6	2	2	2	-25	4.9	0.8					1.5
4	84	3	20	1435	17	1	2	2	-35	5.1	0.3					1.5
4	84	3	20	1440	16	1	1	2	-40			2	3		1	1.5
4	84	3	20	1440	16	1	1	2	-40			5	3		2	1.5
4	84	3	20	1445	14	1	2	2	-45							1.5
4	84	3	20	1450	15	1	2	2	-50	5.1	0.3					1.5

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
4	84	3	20	1455	141	1	2	2	-55							1.6
4	84	3	20	1500	151	1	2	2	-60	5.1	0.3	5	3		1	1.6
4	84	3	20	1510	18	1	4	2	-70	5.1	0.4					1.6
4	84	3	20	1515	18	2	4	2	-75	5.1	0.4	5	3		1	1.6
4	84	3	20	1535	11	1	2	2	-95	5.4	0.3	5	3		1	1.7
4	84	3	20	1545	111	1	4	2	-105							1.7
4	84	3	20	1550	111	2	4	2	-110							1.8
4	84	3	20	1600	2	1	2	2	-120	5.5	0.6	5	4		1	1.9
4	84	3	20	1600	2	1	2	2	-120	5.5	0.6	2	3		1	1.9
4	84	3	20	1605	2	2	2	2	-125	5.5	0.6					2.0
4	84	3	20	1610	3	1	2	2	-130	5.7	1.0	1	4		1	2.0
4	84	3	20	1615	3	2	2	2	-135	5.7	1.0	1	4		1	2.1
4	84	3	20	1625	1	1	4	2	-145	5.4	0.7	5	3		3	2.1
4	84	3	20	1625	1	1	4	2	-145	5.4	0.7	2	3		3	2.1
4	84	3	20	1630	1	2	4	2	-150	5.4	0.7	5	3		2	2.2
4	84	3	20	1640	4	1	4	2	-160	5.3	0.4					2.3
4	84	3	20	1645	4	2	4	2	-165	5.3	0.4					2.4
4	84	3	20	1650	20	1	2	2	-170	7.6	26.5					2.4
4	84	3	20	1655	20	2	2	2	-175	7.6	26.5					2.4
4	84	3	20	1715	47	1	4	2	155	5.2	0.2					2.8
4	84	3	20	1720	47	2	4	2	150	5.2	0.2					2.8
4	84	3	21	1240	47	3	4	1	130	8.0		3	3		1	2.1
4	84	3	21	1240	47	3	4	1	130	8.0		5	3		2	2.1
4	84	3	21	1245	47	4	4	1	125	8.0						2.1
4	84	3	21	1255	10	3	4	1	115	6.0						2.0
4	84	3	21	1300	10	4	4	1	110	6.0		5	1		1	1.9
4	84	3	21	1310	7	3	6	1	100	6.0		5	3		1	1.9
4	84	3	21	1315	7	4	6	1	95	6.0						1.8
4	84	3	21	1320	8	3	4	1	90	6.0		1	4		5	1.7
4	84	3	21	1325	8	4	4	1	85	6.0		1	4		1	1.7
4	84	3	21	1325	8	4	4	1	85	6.0		5	3		1	1.7
4	84	3	21	1400	27	1	2	1	50	9.0		2	3		1	1.4
4	84	3	21	1405	27	2	2	1	45	9.0						1.4

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
4	84	3	21	1415	28	1	2	1	35	9.0						1.4
4	84	3	21	1425	28	2	2	1	25	9.0						1.3
4	84	3	21	1435	292	1	2	1	15	9.0		1	4		32	1.3
4	84	3	21	1435	292	1	2	1	15	9.0		2	3		4	1.3
4	84	3	21	1450	292	2	2	1	0	9.0						1.2
4	84	3	21	1500	29	1	2	2	-10	9.0						1.3
4	84	3	21	1505	29	2	2	2	-15	9.0						1.3
4	84	3	21	1515	21	1	2	2	-25	9.0						1.3
4	84	3	21	1520	21	2	2	2	-30	9.0		1	4		113	1.3
4	84	3	21	1520	21	2	2	2	-30	9.0		2	3		2	1.3
4	84	3	21	1605	34	1	2	2	-75	7.0						1.5
4	84	3	21	1610	34	2	2	2	-80	7.0		1	4		1	1.5
4	84	3	21	1625	5	1	2	2	-95	6.0						1.6
4	84	3	21	1630	5	2	2	2	-100	6.0						1.6
4	84	3	21	1710	17	2	2	2	-140	6.0		5	3		6	2.0
4	84	3	21	1720	15	2	2	2	-150	6.0		5	3		7	2.1
4	84	3	21	1720	15	2	2	2	-150	6.0		2	3		2	2.1
4	84	3	21	1720	15	2	2	2	-150	6.0		10	4		1	2.1
4	84	3	21	1725	14	2	2	2	-155			5	3		1	2.2
4	84	3	21	1730	141	2	2	2	-160			5	3		1	2.3
4	84	3	21	1735	151	2	2	2	-165	6.0		5	3		7	2.3
4	84	3	21	1735	151	2	2	2	-165	6.0		2	3		3	2.3
4	84	3	21	1745	18	3	4	2	-175	6.0						2.4
4	84	3	21	1750	18	4	4	2	-180	6.0						2.4
4	84	3	21	1800	11	2	2	2	170	6.0						2.5
4	84	3	21	1805	111	3	4	2	165	6.0						2.5
4	84	3	21	1810	111	4	4	2	160	6.0						2.6
4	84	3	21	1815	1	3	4	2	155	6.0						2.7
4	84	3	21	1820	1	4	4	2	150	6.0		5	3		1	2.7
4	84	3	21	1825	4	3	4	2	145	6.0		5	3		1	2.8
4	84	3	21	1830	4	4	4	2	140	6.0						2.8
4	84	3	21	1835	7	5	6	2	135	6.0						2.9
4	84	3	21	1840	7	6	6	2	130	6.0						2.9

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
5	84	4	3	1425	47	1	4	2	-105	6.5	0.0	5	3		2	1.8
5	84	4	3	1425	47	1	4	2	-105	6.5	0.0	2	3		1	1.8
5	84	4	3	1430	47	2	4	2	-110	6.5	0.0	5	3		4	1.8
5	84	4	3	1445	10	1	2	2	-125	6.5	0.2	5	3		5	1.9
5	84	4	3	1445	10	1	2	2	-125	6.5	0.2	2	3		2	1.9
5	84	4	3	1450	10	2	2	2	-130	6.5	0.2	2	3		2	1.9
5	84	4	3	1500	7	1	6	2	-140	7.1	1.0					2.0
5	84	4	3	1510	7	2	6	2	-150	7.1	1.0	5	3		1	2.0
5	84	4	3	1525	8	1	2	2	-165	7.0	0.8					2.2
5	84	4	3	1530	8	2	2	2	-170	7.0	0.8					2.3
5	84	4	3	1535	6	1	2	2	-175	6.6	0.4					2.3
5	84	4	3	1540	6	2	2	2	-180	6.6	0.4					2.4
5	84	4	3	1550	1	1	6	2	180	6.1	0.4					2.4
5	84	4	3	1555	1	2	6	2	175	6.1	0.4					2.5
5	84	4	3	1605	4	1	4	2	165	6.9	0.5					2.5
5	84	4	3	1610	4	2	4	2	160	6.9	0.5					2.6
5	84	4	3	1615	20	1	2	2	155	8.5	30.8					2.6
5	84	4	3	1625	20	2	2	2	145	8.5	30.8	1	4		3	2.7
5	84	4	3	1640	27	1	2	2	130	8.8	32.2					2.8
5	84	4	3	1645	27	2	2	2	125	8.8	32.2					2.9
5	84	4	3	1700	28	1	2	2	110	8.8	32.2					3.1
5	84	4	3	1705	28	2	2	2	105	8.8	32.2					3.1
5	84	4	3	1725	1	3	6	2	85	7.0	0.7					3.3
5	84	4	3	1730	1	4	6	2	80	7.0	0.7					3.3
5	84	4	4	0940	31	1	2	1	220	8.4	27.4					2.7
5	84	4	4	0945	31	2	2	1	215	8.4	27.4					2.7
5	84	4	4	1020	322	1	2	1	180	8.5	26.8	1	4		49	2.4
5	84	4	4	1020	322	1	2	1	180	8.5	26.8	2	3		8	2.4
5	84	4	4	1030	322	2	2	1	170	8.5	26.8	1	4		7	2.4
5	84	4	4	1040	32	1	2	1	160	8.6	27.1					2.3
5	84	4	4	1045	32	2	2	1	155	8.6	27.1	2	3		1	2.3
5	84	4	4	1130	24	1	2	1	110	8.6	27.7					2.0
5	84	4	4	1135	24	2	2	1	105	8.6	27.7					1.9

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
5	84	4	4	1150	241	1	2	1	90	9.5	18.2					1.8
5	84	4	4	1155	241	2	2	1	85	9.5	18.2					1.8
5	84	4	4	1210	25	1	2	1	70	9.9	26.9	1	4		1	1.7
5	84	4	4	1215	25	2	2	1	65	9.9	26.9					1.6
5	84	4	4	1310	23	1	2	1	10	9.3	27.2	1	4		55	1.5
5	84	4	4	1310	23	1	2	1	10	9.3	27.2	2	3		10	1.5
5	84	4	4	1320	23	2	2	1	0	9.3	27.2	1	4		2	1.4
5	84	4	4	1340	34	1	2	2	-20	10.0	4.0					1.5
5	84	4	4	1345	34	2	2	2	-25	10.0	4.0					1.5
5	84	4	4	1405	7	3	6	2	-45	7.7	1.0	1	4		1	1.5
5	84	4	4	1410	7	4	6	2	-50	7.7	1.0	2	3		2	1.6
5	84	4	4	1410	7	4	6	2	-50	7.7	1.0	5	3		2	1.6
5	84	4	4	1410	7	4	6	2	-50	7.7	1.0	1	4		1	1.6
5	84	4	4	1425	1	5	6	2	-65	8.0	0.6					1.7
5	84	4	4	1430	1	6	6	2	-70	8.0	0.6					1.7
5	84	4	4	1435	2	1	2	2	-75	8.8	0.9					1.7
5	84	4	4	1440	2	2	2	2	-80	8.8	0.9					1.7
5	84	4	4	1445	3	1	2	2	-85	9.0	1.3					1.8
5	84	4	4	1450	3	2	2	2	-90	9.0	1.3					1.8
5	84	4	4	1455	4	3	4	2	-95	7.5	0.4					1.8
5	84	4	4	1500	4	4	4	2	-100	7.5	0.4					1.9
5	84	4	4	1515	17	1	1	2	-115	8.2	0.2	5	3		3	1.9
5	84	4	4	1515	17	1	1	2	-115	8.2	0.2	2	3		2	1.9
5	84	4	4	1520	16	1	1	2	-120	8.2	0.4	2	3		2	1.9
5	84	4	4	1525	15	1	1	2	-125	8.2	0.2	2	3		1	2.0
5	84	4	4	1530	14	1	1	2	-130	8.2	0.2	2	3		14	2.0
5	84	4	4	1530	14	1	1	2	-130	8.2	0.2	1	4		1	2.0
5	84	4	4	1530	14	1	1	2	-130	8.2	0.2	5	3		2	2.0
5	84	4	4	1535	151	1	1	2	-135	8.2	0.2	5	3		1	2.1
5	84	4	4	1540	141	1	1	2	-140	8.2	0.4					2.1
5	84	4	4	1555	18	1	2	2	-155	8.0	0.2					2.2
5	84	4	4	1600	18	2	2	2	-160	8.0	0.2					2.2
5	84	4	4	1620	11	1	1	2	-180	9.0	1.0	2	3		4	2.3

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
5	84	4	4	1645	21	1	2	2	180	9.3	27.4	1	4		23	2.5
5	84	4	4	1645	21	1	2	2	180	9.3	27.4	2	3		2	2.5
5	84	4	4	1655	21	2	2	2	170	9.3	27.4	1	4		1	2.6
5	84	4	4	1715	47	3	4	2	150	7.0	0.2					2.8
5	84	4	4	1720	47	4	4	2	145	7.0	0.2					2.9
5	84	4	4	1725	7	5	6	2	140	7.0	0.5	2	3		18	2.9
5	84	4	4	1725	7	5	6	2	140	7.0	0.5	5	3		12	2.9
5	84	4	4	1725	7	5	6	2	140	7.0	0.5	1	4		1	2.9
5	84	4	4	1730	7	6	6	2	135	7.0	0.5					3.0
6	84	4	16	1320	7	1	8	2	-70	8.3	1.0	5	3		5	1.2
6	84	4	16	1325	7	2	8	2	-75	8.3	1.0	5	3		2	1.3
6	84	4	16	1345	5	1	2	2	-95	8.3	2.0	5	3		9	1.5
6	84	4	16	1345	5	1	2	2	-95	8.3	2.0	2	3		1	1.5
6	84	4	16	1350	5	2	2	2	-100	8.3	2.0	1	4		1	1.6
6	84	4	16	1400	34	1	2	2	-110	13.1	22.4					1.7
6	84	4	16	1405	34	2	2	2	-115	13.1	22.4	5	3		1	1.7
6	84	4	16	1405	34	2	2	2	-115	13.1	22.4	1	4		2	1.7
6	84	4	16	1425	21	1	2	2	-135	9.4	28.1					1.9
6	84	4	16	1430	21	2	2	2	-140	9.4	28.1					2.0
6	84	4	16	1455	20	1	2	2	-165	9.0	27.5	5	3		2	2.2
6	84	4	16	1455	20	1	2	2	-165	9.0	27.5	2	3		15	2.2
6	84	4	16	1455	20	1	2	2	-165	9.0	27.5	1	4		44	2.2
6	84	4	16	1505	20	2	2	2	170	9.0	27.5	1	4		1	2.4
6	84	4	16	1520	2	1	2	2	155	8.3	6.2	2	3		2	2.7
6	84	4	16	1525	2	2	2	2	150	8.3	6.2					2.8
6	84	4	16	1530	3	1	2	2	145	9.3	1.5					2.9
6	84	4	16	1535	3	2	2	2	140	9.3	1.5					2.9
6	84	4	16	1545	1	1	3	2	130	8.5	3.5	5	3		4	3.0
6	84	4	16	1545	1	1	3	2	130	8.5	3.5	2	3		2	3.0
6	84	4	16	1550	1	2	3	2	125	8.5	3.5	5	3		32	3.1
6	84	4	16	1550	1	2	3	2	125	8.5	3.5	2	3		6	3.1
6	84	4	16	1605	4	1	4	2	110	8.1	3.8	1	4		6	3.2
6	84	4	16	1605	4	1	4	2	110	8.1	3.8	5	3		4	3.2

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
6	84	4	16	1610	4	2	4	2	105	8.1	3.8	1	4		2	3.3
6	84	4	16	1625	47	1	6	2	90	7.1	0.2					3.4
6	84	4	16	1630	47	2	6	2	85	7.1	0.2					3.5
6	84	4	16	1640	48	1	2	2	75	7.0	0.1	2	3		1	3.6
6	84	4	16	1645	48	2	2	2	70	7.0	0.1					3.7
6	84	4	16	1700	10	1	6	2	55	7.1	0.1					3.8
6	84	4	16	1705	10	2	6	2	50	7.1	0.1					3.9
6	84	4	16	1710	7	3	8	2	45	7.5	0.6	5	3		2	4.0
6	84	4	16	1710	7	3	8	2	45	7.5	0.6	2	3		1	4.0
6	84	4	16	1715	7	4	8	2	40	7.5	0.6					4.1
6	84	4	17	0830	31	1	2	1	-195	9.0	28.6	1	4		18	2.9
6	84	4	17	0830	31	1	2	1	-195	9.0	28.6	2	3		48	2.9
6	84	4	17	0845	31	2	2	1	-210	9.0	28.6	2	3		4	2.8
6	84	4	17	0920	322	1	2	1	200	8.4	28.8					2.5
6	84	4	17	0925	322	2	2	1	195	8.4	28.8					2.4
6	84	4	17	0940	32	1	2	1	180	8.1	25.5					2.3
6	84	4	17	0945	32	2	2	1	175	8.1	25.5					2.3
6	84	4	17	1015	24	1	2	1	145	8.7	29.1	2	3		9	2.2
6	84	4	17	1015	24	1	2	1	145	8.7	29.1	1	4		1	2.2
6	84	4	17	1020	24	2	2	1	140	8.7	29.1					1.9
6	84	4	17	1030	241	1	2	1	130	8.0	10.9	2	3		1	1.8
6	84	4	17	1035	241	2	2	1	125	8.0	10.9					1.7
6	84	4	17	1050	25	1	2	1	110	9.4	27.9	2	3		188	1.6
6	84	4	17	1050	25	1	2	1	110	9.4	27.9	1	4		86	1.6
6	84	4	17	1110	25	2	2	1	90	9.4	27.9	2	3		81	1.4
6	84	4	17	1110	25	2	2	1	90	9.4	27.9	1	4		30	1.4
6	84	4	17	1350	292	1	2	2	-70	10.6	26.6	1	4		1	1.0
6	84	4	17	1355	292	2	2	2	-75	10.6	26.6					1.0
6	84	4	17	1415	6	1	2	2	-95	7.7	0.6					1.1
6	84	4	17	1420	6	2	2	2	-100	7.7	0.6					1.2
6	84	4	17	1430	7	5	8	2	-110	8.1	1.4	5	3		4	1.3
6	84	4	17	1440	7	6	8	2	-120	8.1	1.4	5	3		18	1.4
6	84	4	17	1440	7	6	8	2	-120	8.1	1.4	2	3		3	1.4

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
6	84	4	17	1455	17	1	1	2	-135	8.7	0.4	5	3		8	1.5
6	84	4	17	1455	17	1	1	2	-135	8.7	0.4	2	3		2	1.5
6	84	4	17	1500	16	1	1	2	-140	8.0	0.2					1.6
6	84	4	17	1505	15	1	2	2	-145	8.7	0.4	5	3		7	1.7
6	84	4	17	1510	14	1	2	2	-150	8.0	0.2	5	3		5	1.8
6	84	4	17	1510	14	1	2	2	-150	8.0	0.2	2	3		2	1.8
6	84	4	17	1515	141	1	1	2	-155	8.0	0.2					1.9
6	84	4	17	1530	151	1	2	2	-170	8.7	0.4	2	3		1	2.0
6	84	4	17	1540	18	1	4	2	-180	8.3	0.3	5	3		36	2.1
6	84	4	17	1540	18	1	4	2	-180	8.3	0.3	2	3		10	2.1
6	84	4	17	1545	18	2	4	2	185	8.3	0.3					2.3
6	84	4	17	1605	11	1	2	2	165	7.8	0.4	5	3		1	2.5
6	84	4	17	1620	111	1	2	2	150	8.2	2.2	2	3		1	2.7
6	84	4	17	1625	111	2	2	2	145	8.2	2.2					2.8
6	84	4	17	1635	47	3	6	2	135	7.3	0.2					2.9
6	84	4	17	1640	47	4	6	2	130	7.3	0.2					2.9
6	84	4	17	1645	10	3	6	2	125	7.0	0.2					3.0
6	84	4	17	1650	10	4	6	2	120	7.0	0.2					3.1
6	84	4	18	0810	47	5	6	1	-135	6.7	0.3	2	3		124	3.2
6	84	4	18	0810	47	5	6	1	-135	6.7	0.3	5	3		3	3.2
6	84	4	18	0820	47	6	6	1	-145	6.7	0.3	2	3		4	3.1
6	84	4	18	0820	47	6	6	1	-145	6.7	0.3	5	3		1	3.1
6	84	4	18	0825	10	5	6	1	-150	6.6	0.6					3.1
6	84	4	18	0830	10	6	6	1	-155	6.6	0.6					3.0
6	84	4	18	0835	7	7	8	1	-160	6.8	1.1					2.9
6	84	4	18	0840	7	8	8	1	-165	6.8	1.1					2.9
6	84	4	18	0845	8	1	2	1	-170	6.7	1.4					2.8
6	84	4	18	0850	8	2	2	1	-175	6.7	1.4	1	4		1	2.8
6	84	4	18	0900	11	2	2	1	-185	6.8	4.5					2.7
6	84	4	18	0910	18	3	4	1	-195	7.0	3.7	1	4		1	2.7
6	84	4	18	0915	18	4	4	1	-200	7.0	3.7					2.6
6	84	4	18	0925	151	2	2	1	-210							2.5
6	84	4	18	0930	14	2	2	1	-215			2	3		1	2.5

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
6	84	4	18	0930	14	2	2	1	-215			5	3		2	2.5
6	84	4	18	0935	15	2	2	1	-220			2	3		11	2.4
6	84	4	18	0935	15	2	2	1	-220			1	4		1	2.4
6	84	4	18	0955	1	3	3	1	210	6.9	5.2					2.3
6	84	4	18	1000	4	3	4	1	205	7.2	6.1	1	4		1	2.2
6	84	4	18	1005	4	4	4	1	200	7.2	6.1	5	3		2	2.2
6	84	4	18	1005	4	4	4	1	200	7.2	6.1	2	3		1	2.2
7	84	4	25	0905	7	1	13	1	25	7.5	1.6					2.8
7	84	4	25	0910	7	2	13	1	20	7.5	1.6					2.7
7	84	4	25	0913	7	3	13	1	17	7.5	1.6	5	3		2	2.7
7	84	4	25	0925	8	1	10	1	5	8.4	1.4	5	3		3	2.7
7	84	4	25	0930	8	2	10	2	0	8.4	1.4					2.7
7	84	4	25	0940	10	1	10	2	-10	8.0	1.2					2.7
7	84	4	25	0943	10	2	10	2	-13	8.0	1.2					2.8
7	84	4	25	0950	47	1	8	2	-20	8.3	0.4					2.8
7	84	4	25	0953	47	2	8	2	-23	8.3	0.4					2.8
7	84	4	25	1005	6	1	8	2	-35	7.9	1.1	5	3		18	2.8
7	84	4	25	1005	6	1	8	2	-35	7.9	1.1	2	3		1	2.8
7	84	4	25	1010	6	2	8	2	-40	7.9	1.1	5	3		9	2.8
7	84	4	25	1010	6	2	8	2	-40	7.9	1.1	3	3		1	2.8
7	84	4	25	1025	1	1	10	2	-55	8.5	2.0	2	3		2	2.9
7	84	4	25	1025	1	1	10	2	-55	8.5	2.0	1	4		8	2.9
7	84	4	25	1030	1	2	10	2	-60	8.5	2.0	1	4		1	2.9
7	84	4	25	1050	4	1	12	2	-80	8.6	1.5	5	3		3	2.9
7	84	4	25	1050	4	1	12	2	-80	8.6	1.5	1	4		2	2.9
7	84	4	25	1053	4	2	12	2	-83	8.6	1.5					2.9
7	84	4	25	1100	20	1	8	2	-90	9.3	28.4					2.9
7	84	4	25	1105	20	2	8	2	-95	9.3	28.4					2.9
7	84	4	25	1118	21	1	8	2	-108	9.1	28.4					2.9
7	84	4	25	1120	21	2	8	2	-110	9.1	28.4	2	3		2	2.9
7	84	4	25	1625	8	3	10	1	180	10.5	0.8	5	1		48	2.5
7	84	4	25	1625	8	3	10	1	180	10.5	0.8	5	3		1	2.5
7	84	4	25	1632	8	4	10	1	173	10.5	0.8	5	1		53	2.5

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
7	84	4	25	1632	8	4	10	1	173	10.5	0.8	5	3		15	2.5
7	84	4	25	1632	8	4	10	1	173	10.5	0.8	1	4		1	2.5
7	84	4	25	1632	8	4	10	1	173	10.5	0.8	2	3		4	2.5
7	84	4	25	1645	7	4	13	1	160	10.1	0.8	5	3		2	2.4
7	84	4	25	1645	7	4	13	1	160	10.1	0.8	2	3		1	2.4
7	84	4	25	1650	7	5	13	1	155	10.1	0.8	5	1		621	2.4
7	84	4	25	1650	7	5	13	1	155	10.1	0.8	5	3		1	2.4
7	84	4	25	1650	7	5	13	1	155	10.1	0.8	2	3		1	2.4
7	84	4	25	1710	47	3	8	1	135	11.5	0.2	2	3		2	2.3
7	84	4	25	1715	47	4	8	1	130	11.5	0.2					2.3
7	84	4	25	1723	10	3	10	1	122	9.9	0.8	7	3		1	2.3
7	84	4	25	1725	10	4	10	1	120	9.9	0.8	5	3		1	2.3
7	84	4	25	1725	10	4	10	1	120	9.9	0.8	2	3		1	2.3
7	84	4	25	1743	1	3	10	1	102	9.1	2.0	5	3		4	2.2
7	84	4	25	1743	1	3	10	1	102	9.1	2.0	1	4		1	2.2
7	84	4	25	1747	1	4	10	1	98	9.1	2.0					2.2
7	84	4	25	1803	4	3	12	1	82	8.5	0.8					2.1
7	84	4	25	1805	4	4	12	1	80	8.5	0.8	5	1		1	2.1
7	84	4	25	1805	4	4	12	1	80	8.5	0.8	1	4		1	2.1
7	84	4	26	0905	11	1	2	1	50	8.1	1.6	5	3		5	2.4
7	84	4	26	0905	11	1	2	1	50	8.1	1.6	1	4		1	2.4
7	84	4	26	0912	111	1	2	1	43	8.4	1.3					2.4
7	84	4	26	0916	111	2	2	1	39	8.4	1.3					2.4
7	84	4	26	0928	151	1	2	1	27	8.2	0.7	5	1		3	2.4
7	84	4	26	0928	151	1	2	1	27	8.2	0.7	5	3		1	2.4
7	84	4	26	0932	141	1	2	1	23	8.6	0.7					2.4
7	84	4	26	0936	14	1	2	1	19	8.6	0.7	1	4		4	2.4
7	84	4	26	0936	14	1	2	1	19	8.6	0.7	5	3		6	2.4
7	84	4	26	0943	15	1	2	1	12	8.2	0.7	5	3		1	2.4
7	84	4	26	0953	18	1	4	1	2	8.3	0.4					2.4
7	84	4	26	0956	18	2	4	2	-1	8.3	0.4					2.4
7	84	4	26	1150	47	5	8	2	-115	10.7	0.2	5	3		3	2.8
7	84	4	26	1150	47	5	8	2	-115	10.7	0.2	2	3		1	2.8

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
7	84	4	26	1152	47	6	8	2	-117	10.7	0.2					2.8
7	84	4	26	1159	10	5	10	2	-124	9.7	0.7					2.8
7	84	4	26	1201	10	6	10	2	-126	9.7	0.7					2.8
7	84	4	26	1212	7	6	13	2	-128	8.9	1.0	5	3		1	2.8
7	84	4	26	1215	7	7	13	2	125	8.9	1.0	5	3		1	2.8
7	84	4	26	1215	7	7	13	2	125	8.9	1.0	2	3		10	2.8
7	84	4	26	1221	8	5	10	2	119	9.6	0.9	6	3		1	2.8
7	84	4	26	1224	8	6	10	2	116	9.6	0.9					2.8
7	84	4	26	1235	6	3	8	2	105	8.7	0.4	2	3		3	2.9
7	84	4	26	1235	6	3	8	2	105	8.7	0.4	5	3		10	2.9
7	84	4	26	1239	6	4	8	2	104	8.7	0.4					2.9
7	84	4	26	1440	29	1	4	1	-20	9.2	28.8					3.3
7	84	4	26	1445	29	2	4	1	-25	9.2	28.8					3.3
7	84	4	26	1457	292	1	4	1	-37	9.3	28.8					3.3
7	84	4	26	1500	292	2	4	1	-40	9.3	28.8					3.3
7	84	4	26	1513	28	1	6	1	-53	9.8	28.5					3.2
7	84	4	26	1517	28	2	6	1	-57	9.8	28.5					3.2
7	84	4	26	1525	27	1	6	1	-65	10.0	28.6					3.1
7	84	4	26	1528	27	2	6	1	-68	10.0	28.6	5	3		1	3.1
7	84	4	26	1543	26	1	4	1	-83	8.9	29.9	2	3		2	3.1
7	84	4	26	1543	26	1	4	1	-83	8.9	29.9	1	4		1	3.1
7	84	4	26	1547	26	2	4	1	-87	8.9	29.9					3.1
7	84	4	26	1600	23	1	6	1	-100	9.5	28.8					3.0
7	84	4	26	1603	23	2	6	1	-103	9.5	28.8	2	3		1	3.0
7	84	4	26	1618	22	1	6	1	-118	9.1	29.0					3.0
7	84	4	26	1620	22	2	6	1	-120	9.1	29.0					3.0
7	84	4	26	1630	20	3	8	1	-130	10.0	28.8					2.9
7	84	4	26	1635	20	4	8	1	-135	10.0	28.8					2.9
7	84	4	26	1647	21	3	8	1	-147	9.5	29.4					2.8
7	84	4	26	1653	21	4	8	1	-153	9.5	29.4					2.8
7	84	4	26	1706	212	1	4	1	-166	12.7	28.5					2.7
7	84	4	26	1710	212	2	4	1	-170	12.7	28.5	5	1		3	2.7
7	84	4	26	1710	212	2	4	1	-170	12.7	28.5	1	4		1	2.7

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
7	84	4	26	1725	4	5	12	1	175	8.9	1.6					2.7
7	84	4	26	1729	4	6	12	1	171	8.9	1.6					2.7
7	84	4	26	1734	4	7	12	1	166	8.9	1.6					2.6
7	84	4	26	1738	4	8	12	1	162	8.9	1.6	1	4		3	2.6
7	84	4	26	1738	4	8	12	1	162	8.9	1.6	5	3		1	2.6
7	84	4	26	1738	4	8	12	1	162	8.9	1.6	5	1		1	2.6
7	84	4	26	1753	1	5	10	1	147	9.3	2.7	5	3		1	2.5
7	84	4	26	1756	1	6	10	1	144	9.3	2.7	5	3		4	2.5
7	84	4	27	0922	20	5	8	1	63	9.9	27.7					2.3
7	84	4	27	0926	20	6	8	1	59	9.9	27.7	1	4		1	2.3
7	84	4	27	0938	21	5	8	1	47	9.5	28.2	2	3		1	2.2
7	84	4	27	0938	21	5	8	1	47	9.5	28.2	1	4		1	2.2
7	84	4	27	0942	21	6	8	1	43	9.5	28.2					2.2
7	84	4	27	1004	212	3	4	1	21	10.2	27.8					2.1
7	84	4	27	1008	212	4	4	1	17	10.2	27.8					2.1
7	84	4	27	1023	29	3	4	1	2	9.6	28.7					2.1
7	84	4	27	1026	29	4	4	2	-1	9.6	28.7					2.1
7	84	4	27	1039	292	3	4	2	-14	9.5	28.8					2.1
7	84	4	27	1045	292	4	4	2	-20	9.5	28.8					2.1
7	84	4	27	1057	28	3	6	2	-32	9.4	28.0					2.1
7	84	4	27	1100	28	4	6	2	-35	9.4	28.0					2.1
7	84	4	27	1110	27	3	6	2	-45	8.9	29.1	2	3		39	2.1
7	84	4	27	1110	27	3	6	2	-45	8.9	29.1	1	4		2	2.1
7	84	4	27	1116	27	4	6	2	-51	8.9	29.1	2	3		2	2.1
7	84	4	27	1202	26	3	4	2	-97	9.5	28.9					2.4
7	84	4	27	1205	26	4	4	2	-100	9.5	28.9					2.4
7	84	4	27	1218	23	3	6	2	-113	11.7	28.9					2.5
7	84	4	27	1222	23	4	6	2	-117	11.7	28.9					2.6
7	84	4	27	1240	22	3	6	2	-135	11.7	28.8					2.7
7	84	4	27	1246	22	4	6	2	139	11.7	28.9	5	1		6	2.7
7	84	4	27	1444	10	7	10	2	21	9.8	0.2	5	3		10	3.3
7	84	4	27	1444	10	7	10	2	21	9.8	0.2	2	3		4	3.3
7	84	4	27	1448	10	8	10	2	17	9.8	0.2					3.3

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
7	84	4	27	1452	7	8	13	2	13	9.8	0.7	2	3		2	3.4
7	84	4	27	1452	7	8	13	2	13	9.8	0.7	5	3		1	3.4
7	84	4	27	1455	7	9	13	2	10	9.9	0.7					3.4
7	84	4	27	1500	8	7	10	2	5	10.6	0.7					3.4
7	84	4	27	1503	8	8	10	2	2	10.6	0.7					3.4
7	84	4	27	1512	6	5	8	1	7	10.0	1.7					3.4
7	84	4	27	1515	6	6	8	1	10	10.0	1.7					3.4
7	84	4	27	1519	4	9	12	1	14	10.2	4.6	2	3		1	3.4
7	84	4	27	1519	4	9	12	1	14	10.2	4.6	5	1		4	3.4
7	84	4	27	1519	4	9	12	1	14	10.2	4.6	5	3		1	3.4
7	84	4	27	1523	4	10	12	1	18	10.2	4.6	5	1		1	3.4
7	84	4	27	1523	4	10	12	1	16	10.2	4.6	1	4		1	3.4
7	84	4	27	1529	1	7	10	1	24	10.3	3.1	1	4		1	3.4
7	84	4	27	1529	1	7	10	1	24	10.3	3.1	2	3		2	3.4
7	84	4	27	1529	1	7	10	1	24	10.3	3.1	5	3		2	3.4
7	84	4	27	1534	1	8	10	1	29	10.3	3.1	1	4		1	3.4
7	84	4	25	1330	32	1	25	1	-15	11.0		5	1		5	3.1
7	84	4	25	1340	32	2	25	1	-25	11.0						3.1
7	84	4	25	1350	32	3	25	1	-35	11.0		9	3		2	3.1
7	84	4	25	1350	32	3	25	1	-35	11.0		5	1		2	3.1
7	84	4	25	1350	32	3	25	1	-35	11.0		2	3		1	3.1
7	84	4	25	1400	32	4	25	1	-45	11.0		2	3		5	3.0
7	84	4	25	1400	32	4	25	1	-45	11.0		5	1		3	3.0
7	84	4	25	1410	32	5	25	1	-55	11.0						3.0
7	84	4	25	1420	32	6	25	1	-65	11.0		5	1		5	3.0
7	84	4	25	1440	322	1	6	1	-85	11.0		5	1		171	2.9
7	84	4	25	1440	322	1	6	1	-85	11.0		2	3		1	2.9
7	84	4	25	1445	322	2	6	1	-90	11.0		5	1		39	2.9
7	84	4	25	1520	328	1	6	1	-125	10.0						2.7
7	84	4	25	1525	328	2	6	1	-130	10.0						2.7
7	84	4	25	1545	31	1	6	1	-150	10.0		2	3		1	2.7
7	84	4	25	1550	31	2	6	1	-155	10.0		2	3		1	2.6
7	84	4	25	1620	25	1	6	1	-185	11.0						2.5

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
7	84	4	25	1625	25	2	6	1	180	11.0		2	3		2	2.5
7	84	4	25	1640	241	1	4	1	165	10.0						2.5
7	84	4	25	1645	241	2	4	1	160	10.0						2.5
7	84	4	25	1700	24	1	6	1	145	9.0		2	3		1	2.4
7	84	4	25	1705	24	2	6	1	140	9.0						2.4
7	84	4	26	1510	32	7	25	1	-50	9.0		1	4		17	3.2
7	84	4	26	1510	32	7	25	1	-50	9.0		2	3		216	3.2
7	84	4	26	1520	32	8	25	1	-60	9.0		2	3		60	3.2
7	84	4	26	1520	32	8	25	1	-60	9.0		1	4		2	3.2
7	84	4	26	1525	32	9	25	1	-65	9.0						3.2
7	84	4	26	1530	32	10	25	1	-70	11.0						3.1
7	84	4	26	1535	32	11	25	1	-75	11.0						3.1
7	84	4	26	1540	32	12	25	1	-80	11.0		3	3		1	3.1
7	84	4	26	1550	322	3	6	1	-90							3.1
7	84	4	26	1555	322	4	6	1	-95							3.1
7	84	4	26	1610	31	3	6	1	-110	10.0		2	3		8	3.0
7	84	4	26	1610	31	3	6	1	-110	10.0		1	4		4	3.0
7	84	4	26	1615	31	4	6	1	-115	10.0		2	3		1	3.0
7	84	4	26	1650	25	3	6	1	-150			5	3		1	2.8
7	84	4	26	1655	25	4	6	1	-155			2	3		4	2.8
7	84	4	26	1710	241	3	4	1	-170	11.5						2.7
7	84	4	26	1715	241	4	4	1	-175	11.5						2.7
7	84	4	26	1725	24	3	6	1	175	10.0		1	4		91	2.7
7	84	4	26	1725	24	3	6	1	175	10.0		2	3		246	2.7
7	84	4	26	1735	24	4	6	1	165	10.0						2.6
7	84	4	26	1800	30	1	4	1	140			1	4		6	2.5
7	84	4	26	1800	30	1	4	1	140			2	3		4	2.5
7	84	4	26	1805	30	2	4	1	135			1	4		78	2.5
7	84	4	26	1805	30	2	4	1	135			2	3		36	2.5
7	84	4	26	1835	328	3	6	1	105	9.0						2.4
7	84	4	26	1840	328	4	6	1	100	9.0						2.4
7	84	4	26	1355	321	1	4	1	85			2	3		32	2.3
7	84	4	26	1855	321	1	4	1	85			5	1		1	2.3

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
7	84	4	26	1900	321	2	4	1	80							2.3
7	84	4	27	0935	32	13	25	1	50	10.0						2.2
7	84	4	27	0940	32	14	25	1	45	10.0						2.2
7	84	4	27	0950	32	15	25	1	35	10.0						2.2
7	84	4	27	0955	32	16	25	1	30	10.0						2.2
7	84	4	27	1005	32	17	25	1	20	10.0						2.1
7	84	4	27	1010	32	18	25	1	15	10.0		1	4		10	2.1
7	84	4	27	1010	32	18	25	1	15	10.0		2	3		270	2.1
7	84	4	27	1015	32	19	25	1	10	10.0		1	4		2	2.1
7	84	4	27	1015	32	19	25	1	10	10.0		2	3		74	2.1
7	84	4	27	1030	322	5	6	2	-5	10.5						2.1
7	84	4	27	1035	322	6	6	2	-10	10.5						2.1
7	84	4	27	1045	321	3	4	2	-20	11.0		2	3		15	2.1
7	84	4	27	1045	321	3	4	2	-20	11.0		1	4		3	2.1
7	84	4	27	1050	321	4	4	2	-25	11.0		2	3		6	2.1
7	84	4	27	1100	328	5	6	2	-35	11.0						2.1
7	84	4	27	1105	328	6	6	2	-40	11.0		2	3		5	2.1
7	84	4	27	1120	31	5	6	2	-55	11.0		2	3		173	2.2
7	84	4	27	1120	31	5	6	2	-55	11.0		5	3		2	2.2
7	84	4	27	1125	31	6	6	2	-60	11.0		2	3		2	2.2
7	84	4	27	1145	25	5	6	2	-80	10.0		5	1		1	2.3
7	84	4	27	1150	25	6	6	2	-85	10.0						2.3
7	84	4	27	1235	24	5	6	2	-130	10.5		2	3		269	2.6
7	84	4	27	1235	24	5	6	2	-130	10.5		1	4		111	2.6
7	84	4	27	1245	24	6	6	2	-140	10.5		2	3		27	2.7
7	84	4	27	1245	24	6	6	2	-140	10.5		1	4		8	2.7
7	84	4	27	1310	30	3	4	2	115	9.5						2.8
7	84	4	27	1315	30	4	4	2	110	9.5		2	3		101	2.8
7	84	4	27	1315	30	4	4	2	110	9.5		1	4		84	2.8
7	84	4	27	1335	32	20	25	2	90			2	3		113	2.9
7	84	4	27	1335	32	20	25	2	90			1	4		12	2.9
7	84	4	27	1335	32	20	25	2	90			5	1		1	2.9
7	84	4	27	1345	32	21	25	2	80			2	3		34	3.0

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
7	84	4	27	1345	32	21	25	2	80			1	4		10	3.0
7	84	4	27	1355	32	22	25	2	70			2	3		148	3.0
7	84	4	27	1355	32	22	25	2	70			1	4		18	3.0
7	84	4	27	1400	32	23	25	2	65			2	3		30	3.1
7	84	4	27	1400	32	23	25	2	65			1	4		12	3.1
7	84	4	27	1415	32	24	25	2	50			1	4		2	3.1
7	84	4	27	1420	32	25	25	2	45							3.2
7	84	4	28	0900	47	7	8	1	110	9.7	0.3	5	3		10	2.2
7	84	4	28	0900	47	7	8	1	110	9.7	0.3	2	3		4	2.2
7	84	4	28	0900	47	7	8	1	110	9.7	0.3	3	3	3	4	2.2
7	84	4	28	0905	47	8	8	1	105	9.7	0.3	5	3		15	2.2
7	84	4	28	0905	47	8	8	1	105	9.7	0.3	2	3		8	2.2
7	84	4	28	0905	47	8	8	1	105	9.7	0.3	3	3	3	1	2.2
7	84	4	28	0910	10	9	10	1	100	9.0	1.4					2.2
7	84	4	28	0915	10	10	10	1	95	9.0	1.4	5	3		1	2.1
7	84	4	28	0920	7	10	13	1	90	9.0	1.5					2.1
7	84	4	28	0925	7	11	13	1	85	9.0	1.5	5	3		1	2.0
7	84	4	28	0930	8	9	10	1	80	9.7	2.3	5	1		1	2.0
7	84	4	28	0935	8	10	10	1	75	9.7	2.3	5	3		1	2.0
7	84	4	28	0940	6	7	8	1	70	8.5	0.8	3	3	3	1	2.0
7	84	4	28	0940	6	7	8	1	70	8.5	0.8	5	3		1	2.0
7	84	4	28	0945	6	8	8	1	65	8.5	0.8	5	3		55	1.9
7	84	4	28	0945	6	8	8	1	65	8.5	0.8	2	3		3	1.9
7	84	4	28	0955	1	9	10	1	55	9.4	1.0	3	3	3	1	1.9
7	84	4	28	1000	1	10	10	1	50	9.4	1.0					1.9
7	84	4	28	1005	2	1	2	1	45	9.4	1.6					1.9
7	84	4	28	1010	2	2	2	1	40	9.4	1.6					1.9
7	84	4	28	1015	3	1	2	1	35	9.0	0.7					1.9
7	84	4	28	1020	3	2	2	1	30	9.0	0.7	5	3		1	1.8
7	84	4	28	1035	4	11	12	1	15	9.2	0.5	5	1		1	1.8
7	84	4	28	1035	4	11	12	1	15	9.2	0.5	1	4		1	1.8
7	84	4	28	1040	4	12	12	1	10	9.2	0.5					1.8
7	84	4	28	1050	17	1	1	2	0	10.2	0.0	5	3		2	1.8

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
7	84	4	28	1050	17	1	1	2	0	10.2	0.0	2	3		5	1.8
7	84	4	28	1055	16	1	1	2	-5	10.2	0.0					1.8
7	84	4	28	1100	15	2	2	2	-10	10.2	0.0	2	3		1	1.8
7	84	4	28	1105	14	2	2	2	-15	10.2	0.0	5	3		28	1.8
7	84	4	28	1105	14	2	2	2	-15	10.2	0.0	2	3		6	1.8
7	84	4	28	1110	141	2	2	2	-20	10.2	0.0	5	3		15	1.9
7	84	4	28	1110	141	2	2	2	-20	10.2	0.0	1	4		1	1.9
7	84	4	28	1115	151	2	2	2	-25	10.2	0.0					1.9
7	84	4	28	1120	18	3	4	2	-30	10.6	0.2	5	3		6	1.9
7	84	4	28	1120	18	3	4	2	-30	10.8	0.2	2	3		1	1.9
7	84	4	28	1120	18	3	4	2	-30	10.8	0.2	1	4		1	1.9
7	84	4	28	1125	18	4	4	2	-35	10.8	0.2	1	4		1	1.9
7	84	4	28	1125	18	4	4	2	-35	10.8	0.2	2	3		2	1.9
7	84	4	28	1125	18	4	4	2	-35	10.8	0.2	5	3		4	1.9
7	84	4	28	1135	11	2	2	2	-45	10.6	1.2					2.0
7	84	4	28	1325	21	7	8	2	-155	9.8	26.6	5	3		1	2.7
7	84	4	28	1330	21	8	8	2	150	9.8	26.6					2.7
7	84	4	28	1335	20	7	8	2	145	10.1	23.3	1	4		1	2.7
7	84	4	28	1335	20	7	8	2	145	10.1	23.3	3	3	3	1	2.7
7	84	4	28	1340	20	8	8	2	140	10.1	23.3	5	3		4	2.8
7	84	4	28	1340	20	8	8	2	140	10.1	23.3	2	3		1	2.8
7	84	4	28	1355	27	5	6	2	125	10.9	26.6					2.8
7	84	4	28	1400	27	6	6	2	120	10.9	26.6					2.9
7	84	4	28	1405	28	5	6	2	115	11.2	26.6					2.9
7	84	4	28	1410	28	6	6	2	110	11.2	26.6					2.9
7	84	4	28	1420	23	5	6	2	100	10.1	26.6					3.0
7	84	4	28	1425	23	6	6	2	95	10.1	26.6					3.0
7	84	4	28	1440	22	5	6	2	80	9.7	27.0					3.1
7	84	4	28	1445	22	6	6	2	75	9.7	27.0	1	4		1	3.1
7	84	4	28	1500	7	12	13	2	60	9.8	0.3	5	3		1	3.2
7	84	4	28	1505	7	13	13	2	55	9.8	0.3					3.2
8	84	5	1	1255	5	1	4	2	-70	8.9	1.6	2	3		2	1.5
8	84	5	1	1255	5	1	4	2	-70	8.9	1.6	5	3		3	1.5

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
8	84	5	1	1300	5	2	4	2	-75	8.9	1.6					1.5
8	84	5	1	1310	34	1	6	2	-85	9.0	26.9					1.6
8	84	5	1	1315	34	2	6	2	-90	9.0	26.9	5	3		31	1.7
8	84	5	1	1315	34	2	6	2	-90	9.0	26.9	5	1		2	1.7
8	84	5	1	1315	34	2	6	2	-90	9.0	26.9	2	3		2	1.7
8	84	5	1	1333	21	1	6	2	-108	9.5	21.4	2	3		1	1.8
8	84	5	1	1333	21	1	6	2	-108	9.5	21.4	10	4		1	1.8
8	84	5	1	1338	21	2	6	2	-113	9.5	21.4	1	4		1	1.8
8	84	5	1	1356	20	1	6	2	-131	8.8	14.5					1.9
8	84	5	1	1359	20	2	6	2	-134	8.8	14.5					1.9
8	84	5	1	1407	4	1	6	2	-142	8.5	0.4	5	3		5	2.0
8	84	5	1	1411	4	2	6	2	-146	8.5	0.4					2.1
8	84	5	1	1417	1	1	6	2	-152	8.5	0.7					2.1
8	84	5	1	1420	1	2	6	2	-155	8.5	0.7					2.2
8	84	5	1	1425	3	1	4	2	-160	8.9	2.0					2.3
8	84	5	1	1428	3	2	4	2	-163	8.9	2.0					2.3
8	84	5	1	1445	15	1	1	2	-180	9.0	0.2	5	3		10	2.4
8	84	5	1	1445	15	1	1	2	-180	9.0	0.2	2	3		7	2.4
8	84	5	1	1449	14	1	1	2	-184	8.8	0.2	2	3		1	2.4
8	84	5	1	1458	151	1	1	2	-193	9.0	0.2					2.5
8	84	5	1	1503	18	1	2	2	192	9.0	0.4					2.5
8	84	5	1	1507	18	2	2	2	188	9.0	0.4	2	3		1	2.6
8	84	5	1	1513	11	1	1	2	182	9.0	2.2					2.7
8	84	5	1	1528	47	1	6	2	167	8.5	0.2	5	3		6	2.8
8	84	5	1	1528	47	1	6	2	167	8.5	0.2	2	3		1	2.8
8	84	5	1	1531	47	2	6	2	164	8.5	0.2	5	3		31	2.8
8	84	5	1	1531	47	2	6	2	164	8.5	0.2	2	3		1	2.8
8	84	5	1	1535	10	1	4	2	160	8.6	0.2					2.9
8	84	5	1	1540	10	2	4	2	155	8.6	0.2					2.9
8	84	5	1	1545	7	1	6	2	150	8.7	0.6	5	3		1	2.9
8	84	5	1	1549	7	2	6	2	146	8.7	0.6					3.0
8	84	5	1	1556	8	1	2	2	139	8.6	0.6	5	3		1	3.0
8	84	5	1	1559	8	2	2	2	136	8.6	0.6	5	3		21	3.0

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
8	84	5	2	0807	31	2	2	1	-217	8.5	28.7					2.5
8	84	5	2	0810	31	2	2	1	-220	8.5	28.7					2.5
8	84	5	2	0850	322	1	2	1	200	9.0	28.8					2.0
8	84	5	2	0854	322	2	2	1	196	9.0	28.8					2.0
8	84	5	2	0900	32	1	2	1	190	8.8	31.0					2.0
8	84	5	2	0905	32	2	2	1	185	8.8	31.0	1	4		1	2.0
8	84	5	2	0921	328	1	2	1	169	7.6	25.9	2	3		5	1.9
8	84	5	2	0921	328	1	2	1	169	7.6	25.9	1	4		2	1.9
8	84	5	2	0925	328	2	2	1	165	7.6	25.9					1.8
8	84	5	2	1006	24	1	2	1	124	9.1	25.7	2	3		2	1.6
8	84	5	2	1006	24	1	2	1	124	9.1	25.7	1	4		1	1.6
8	84	5	2	1011	24	2	2	1	119	9.1	25.7					1.6
8	84	5	2	1023	241	1	2	1	107	8.1	5.9					1.5
8	84	5	2	1027	241	2	2	1	103	8.1	5.9					1.5
8	84	5	2	1048	25	1	2	1	82	9.0	28.5					1.3
8	84	5	2	1051	25	2	2	1	79	9.0	28.5					1.3
8	84	5	2	1130	23	1	2	1	40	10.1	28.8					1.0
8	84	5	2	1134	23	2	2	1	36	10.1	28.8					1.0
8	84	5	2	1151	27	1	2	1	19	8.9	28.7					1.0
8	84	5	2	1154	27	2	2	1	16	8.9	28.7	5	3		3	0.9
8	84	5	2	1154	27	2	2	1	16	8.9	28.7	2	3		23	0.9
8	84	5	2	1154	27	2	2	1	16	8.9	28.7	1	4		1	0.9
8	84	5	2	1229	292	1	2	2	-19	8.8	29.9	5	3		6	0.9
8	84	5	2	1229	292	1	2	2	-19	8.8	29.9	5	1		126	0.9
8	84	5	2	1229	292	1	2	2	-19	8.8	29.9	1	4		1686	0.9
8	84	5	2	1229	292	1	2	2	-19	8.8	29.9	2	3		204	0.9
8	84	5	2	1255	292	2	2	2	-45	8.8	29.9	5	1		20	1.0
8	84	5	2	1255	292	2	2	2	-45	8.8	29.9	5	3		5	1.0
8	84	5	2	1255	292	2	2	2	-45	8.8	29.9	2	3		80	1.0
8	84	5	2	1255	292	2	2	2	-45	8.8	29.9	1	4		395	1.0
8	84	5	2	1319	21	3	6	2	-69	9.4	23.6	5	1		1	1.1
8	84	5	2	1319	21	3	6	2	-69	9.4	23.6	1	4		1	1.1
8	84	5	2	1325	21	4	6	2	-75	9.4	23.6					1.2

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
8	84	5	2	1345	20	3	6	2	-95	8.9	26.3	2	3		2	1.3
8	84	5	2	1353	20	4	6	2	-103	8.9	26.3	5	3		2	1.3
8	84	5	2	1353	20	4	6	2	-103	8.9	26.3	2	3		2	1.3
8	84	5	2	1413	34	3	6	2	-123	10.1	24.8	5	3		120	1.5
8	84	5	2	1413	34	3	6	2	-123	10.1	24.8	5	1		3	1.5
8	84	5	2	1413	34	3	6	2	-123	10.1	24.8	2	3		4	1.5
8	84	5	2	1421	34	4	6	2	-131	10.1	24.8	2	3		7	1.6
8	84	5	2	1421	34	4	6	2	-131	10.1	24.8	5	1		1	1.6
8	84	5	2	1421	34	4	6	2	-131	10.1	24.8	5	3		23	1.6
8	84	5	2	1441	1	3	6	2	-151	9.0	0.6					1.7
8	84	5	2	1452	1	4	6	2	-162	9.0	0.6	5	3		10	1.8
8	84	5	2	1452	1	4	6	2	-162	9.0	0.6	2	3		17	1.8
8	84	5	2	1505	4	3	6	2	-175	9.0	0.6					1.9
8	84	5	2	1508	4	4	6	2	-178	9.0	0.6					1.9
8	84	5	2	1518	6	1	4	2	-188	9.0	0.3	2	3		4	2.0
8	84	5	2	1518	6	1	4	2	-188	9.0	0.3	5	3		12	2.0
8	84	5	2	1525	6	2	4	2	-195	9.0	0.3	2	3		1	2.1
8	84	5	2	1532	7	3	6	2	193	9.2	0.8	5	1		41	2.2
8	84	5	2	1532	7	3	6	2	193	9.2	0.8	5	3		97	2.2
8	84	5	2	1532	7	3	6	2	193	9.2	0.8	2	3		18	2.2
8	84	5	2	1545	7	4	6	2	180	9.2	0.8					2.3
8	84	5	2	1553	47	3	6	2	172	9.0	0.2	5	3		8	2.4
8	84	5	2	1556	47	4	6	2	169	9.0	0.2	5	3		8	2.5
8	84	5	3	0802	47	5	6	1	-172	8.5	0.4					2.8
8	84	5	3	0804	47	6	6	1	-174	8.5	0.4					2.8
8	84	5	3	0810	10	3	4	1	-180	8.6	1.0					2.7
8	84	5	3	0813	10	4	4	1	-183	8.6	1.0	3	3		1	2.7
8	84	5	3	0817	7	5	6	1	-187	8.7	1.2	5	3		20	2.6
8	84	5	3	0822	7	6	6	1	-192	8.7	1.2	5	3		3	2.6
8	84	5	3	0830	6	3	4	1	-200			5	3		1	2.5
8	84	5	3	0830	6	3	4	1	-200			3	3		1	2.5
8	84	5	3	0835	6	4	4	1	-205			5	3		75	2.5
8	84	5	3	0835	6	4	4	1	-205			2	3		8	2.5

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
8	84	5	3	0835	6	4	4	1	-205			7	3		1	2.5
8	84	5	3	0845	4	5	6	1	-215	8.7	3.2	5	3		1	2.5
8	84	5	3	0854	4	6	6	1	-224	8.7	3.2					2.4
8	84	5	3	0901	1	5	6	1	219	9.0	2.7	2	3		1	2.3
8	84	5	3	0901	1	5	6	1	215	9.0	2.7	5	4		1	2.3
8	84	5	3	0905	1	6	6	1	215	9.0	2.7	5	3		2	2.2
8	84	5	3	0912	3	3	4	1	208	9.0	2.7					2.2
8	84	5	3	0915	3	4	4	1	205	9.0	2.7	5	3		58	2.1
8	84	5	3	0915	3	4	4	1	205	9.0	2.7	1	4		4	2.1
8	84	5	3	0915	3	4	4	1	205	9.0	2.7	2	3		2	2.1
8	84	5	3	0920	2	1	2	1	200	9.5	1.2					2.0
8	84	5	3	0925	2	2	2	1	195	9.5	1.2					2.0
8	84	5	3	0953	21	5	6	1	167	9.4	26.5	6	3		1	1.9
8	84	5	3	0953	21	5	6	1	167	9.4	26.5	5	4		3	1.9
8	84	5	3	0953	21	5	6	1	167	9.4	26.5	5	3		4	1.9
8	84	5	3	0953	21	5	6	1	167	9.4	26.5	2	3		53	1.9
8	84	5	3	1000	21	6	6	1	160	9.4	26.5	2	3		2	1.8
8	84	5	3	1017	20	5	6	1	143	10.1	25.4					1.7
8	84	5	3	1020	20	6	6	1	140	10.1	25.4					1.7
8	84	5	3	1053	34	5	6	1	107	10.4	3.8	5	3		16	1.5
8	84	5	3	1057	34	6	6	1	103	10.4	3.8	5	3		8	1.4
8	84	5	3	1057	34	6	6	1	103	10.4	3.8	2	3		2	1.4
8	84	5	3	1115	5	3	4	1	85	10.5	6.9					1.2
8	84	5	3	1120	5	4	4	1	80	10.5	6.9					1.1
9	84	5	15	1225	7	1	4	2	-45	10.6	1.6	5	3		37	0.5
9	84	5	15	1230	7	2	4	2	-50	10.6	1.6	5	3		49	0.6
9	84	5	15	1230	7	2	4	2	-50	10.6	1.6	2	3		1	0.6
9	84	5	15	1230	7	2	4	2	-50	10.6	1.6	3	4	4	1	0.6
9	84	5	15	1230	7	2	4	2	-50	10.6	1.6	3	3	3	1	0.6
9	84	5	15	1250	6	1	2	2	-70	11.6	0.9	5	3		56	0.7
9	84	5	15	1250	6	1	2	2	-70	11.6	0.9	2	3		1	0.7
9	84	5	15	1255	6	2	2	2	-75	11.6	0.9	5	3		493	0.8
9	84	5	15	1255	6	2	2	2	-75	11.6	0.9	5	1		1	0.8

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
9	84	5	15	1255	6	2	2	2	-75	11.6	0.9	2	3		16	0.8
9	84	5	15	1255	6	2	2	2	-75	11.6	0.9	3	3	3	1	0.8
9	84	5	15	1330	37	1	4	2	-110	12.4	11.8	5	3		14	1.2
9	84	5	15	1330	37	1	4	2	-110	12.4	11.8	2	3		7	1.2
9	84	5	15	1330	37	1	4	2	-110	12.4	11.8	1	4		1	1.2
9	84	5	15	1335	37	2	4	2	-115	12.4	11.8	5	3		8	1.3
9	84	5	15	1335	37	2	4	2	-115	12.4	11.8	5	1		5	1.3
9	84	5	15	1350	3	1	2	2	-130	14.0	2.1	6	3		1	1.5
9	84	5	15	1350	3	1	2	2	-130	14.0	2.1	5	1		1	1.5
9	84	5	15	1350	3	1	2	2	-130	14.0	2.1	5	3		14	1.5
9	84	5	15	1350	3	1	2	2	-130	14.0	2.1	2	3		11	1.5
9	84	5	15	1355	3	2	2	2	-135	14.0	2.1	7	1		1	1.6
9	84	5	15	1355	3	2	2	2	-135	14.0	2.1	6	3		1	1.6
9	84	5	15	1355	3	2	2	2	-135	14.0	2.1	5	3		2	1.6
9	84	5	15	1415	17	1	1	2	-155	12.5	0.0	2	3		4	1.8
9	84	5	15	1415	17	1	1	2	-155	12.5	0.0	5	3		42	1.8
9	84	5	15	1420	16	1	1	2	-160	11.5	0.0	5	3		51	1.9
9	84	5	15	1420	16	1	1	2	-160	11.5	0.0	2	3		1	1.9
9	84	5	15	1425	15	1	2	2	-165	12.5	0.0	3	3	3	1	2.0
9	84	5	15	1425	15	1	2	2	-165	12.5	0.0	5	3		8	2.0
9	84	5	15	1430	14	1	2	2	-170	11.5	0.0	2	3		2	2.1
9	84	5	15	1435	141	1	2	2	-175	11.5	0.0					2.1
9	84	5	15	1440	151	1	2	2	-180	12.5	0.0	5	3		12	2.2
9	84	5	15	1500	18	1	4	2	170	11.4	0.0	3	4	4	19	2.5
9	84	5	15	1500	18	1	4	2	170	11.4	0.0	5	1		1	2.5
9	84	5	15	1500	18	1	4	2	170	11.4	0.0	3	1		4	2.5
9	84	5	15	1505	18	2	4	2	165	11.4	0.0	5	3		1	2.5
9	84	5	15	1515	11	1	1	2	155	11.0	0.0	2	3		1	2.6
9	84	5	15	1525	111	1	2	2	145	11.5	1.8	3	4	4	13	2.7
9	84	5	15	1525	111	1	2	2	145	11.5	1.8	5	1		1	2.7
9	84	5	15	1530	111	2	2	2	140	11.5	1.8	6	3		3	2.8
9	84	5	15	1530	111	2	2	2	140	11.5	1.8	2	3		1	2.8
9	84	5	15	1530	111	2	2	2	140	11.5	1.8	3	1	4	3	2.8

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
9	84	5	15	1530	111	2	2	2	140	11.5	1.8	3	4	4	4	2.8
9	84	5	15	1540	8	1	2	2	130	10.2	0.4	2	3		2	2.9
9	84	5	15	1540	8	1	2	2	130	10.2	0.4	5	3		32	2.9
9	84	5	15	1545	8	2	2	2	125	10.2	0.4	5	3		8	3.0
9	84	5	15	1545	8	2	2	2	125	10.2	0.4	3	3		1	3.0
9	84	5	15	1600	47	1	4	2	110	9.9	0.0	5	3		31	3.2
9	84	5	15	1600	47	1	4	2	110	9.9	0.0	2	3		1	3.2
9	84	5	15	1605	47	2	4	2	105	9.9	0.0	5	3		5	3.2
9	84	5	15	1610	10	1	4	2	100	9.7						3.3
9	84	5	15	1615	10	2	4	2	95	9.7						3.3
9	84	5	15	1630	1	1	4	2	80	11.3	2.0					3.5
9	84	5	15	1635	1	2	4	2	75	11.3	2.0	5	3		1	3.6
9	84	5	16	0815	31	1	2	1	-235	9.2	28.3	2	3		108	2.2
9	84	5	16	0815	31	1	2	1	-235	9.2	28.3	1	4		5	2.2
9	84	5	16	0820	31	2	2	1	240	9.2	28.3	2	3		10	2.1
9	84	5	16	0820	31	2	2	1	240	9.2	28.3	1	4		1	2.1
9	84	5	16	0845	322	1	2	1	215	9.7	25.2	2	3		119	2.0
9	84	5	16	0845	322	1	2	1	215	9.7	25.2	1	4		23	2.0
9	84	5	16	0900	322	2	2	1	200	9.7	25.2	1	4		2	1.8
9	84	5	16	0900	322	2	2	1	200	9.7	25.2	2	3		2	1.8
9	84	5	16	0910	32	1	2	1	190	10.0	25.1	5	3		1	1.7
9	84	5	16	0920	32	2	2	1	180	10.0	25.1	2	3		82	1.6
9	84	5	16	0940	328	1	2	1	160	8.9	28.0					1.5
9	84	5	16	0945	328	2	2	1	155	8.9	28.0					1.5
9	84	5	16	1015	24	1	2	1	125	9.8	28.3					1.2
9	84	5	16	1020	24	2	2	1	120	9.8	28.3					1.1
9	84	5	16	1030	241	1	2	1	110	10.2	9.6					1.0
9	84	5	16	1035	241	2	2	1	105	10.2	9.6					0.9
9	84	5	16	1050	25	1	2	1	90	9.6	28.0	1	4		1	0.8
9	84	5	16	1050	25	1	2	1	90	9.6	28.0	2	3		1	0.8
9	84	5	16	1055	25	2	2	1	85	9.6	28.0	2	3		64	0.8
9	84	5	16	1055	25	2	2	1	85	9.6	28.0	1	4		13	0.8
9	84	5	16	1130	23	1	2	1	50	11.2	28.5	2	3		935	0.5

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
9	84	5	16	1130	23	1	2	1	50	11.2	28.5	1	4		106	0.5
9	84	5	16	1130	23	1	2	1	50	11.2	28.5	5	3		1	0.5
9	84	5	16	1140	23	2	2	1	40	11.2	28.5	2	3		32	0.5
9	84	5	16	1140	23	2	2	1	40	11.2	28.5	1	4		5	0.5
9	84	5	16	1200	35	1	2	1	20	11.3	7.8	3	4	4	1	0.4
9	84	5	16	1205	35	2	2	1	15	11.3	7.8					0.4
9	84	5	16	1255	27	1	2	2	-35	9.9	28.8	2	3		27	0.4
9	84	5	16	1300	27	2	2	2	-40	9.9	28.8	1	4		65	0.5
9	84	5	16	1300	27	2	2	2	-40	9.9	28.8	2	3		586	0.5
9	84	5	16	1350	292	1	2	2	-90	10.4	28.4	2	3		2860	1.0
9	84	5	16	1350	292	1	2	2	-90	10.4	28.4	1	4		1870	1.0
9	84	5	16	1350	292	1	2	2	-90	10.4	28.4	5	3		15	1.0
9	84	5	16	1410	292	2	2	2	-110	10.4	28.4	2	3		37	1.2
9	84	5	16	1410	292	2	2	2	-110	10.4	28.4	1	4		15	1.2
9	84	5	16	1410	292	2	2	2	-110	10.4	28.4	5	3		1	1.2
9	84	5	16	1420	34	1	2	2	-120	12.9	26.5	2	3		31	1.3
9	84	5	16	1420	34	1	2	2	-120	12.9	26.5	1	4		4	1.3
9	84	5	16	1420	34	1	2	2	-120	12.9	26.5	5	3		5	1.3
9	84	5	16	1425	34	2	2	2	-125	12.9	26.5	5	3		1	1.4
9	84	5	16	1425	34	2	2	2	-125	12.9	26.5	2	3		3	1.4
9	84	5	16	1440	5	1	2	2	-140	10.5	1.3					1.6
9	84	5	16	1445	5	2	2	2	-145	10.5	1.3	5	3		12	1.7
9	84	5	16	1445	5	2	2	2	-145	10.5	1.3	2	3		1	1.7
9	84	5	16	1500	21	1	2	2	-160	13.7	23.4	3	4	4	1	1.9
9	84	5	16	1505	21	2	2	2	-165	13.7	23.4					1.9
9	84	5	16	1545	20	1	2	2	185	10.4	26.5					2.4
9	84	5	16	1550	20	2	2	2	180	10.4	26.5	5	3		11	2.5
9	84	5	16	1550	20	2	2	2	180	10.4	26.5	1	4		8	2.5
9	84	5	16	1550	20	2	2	2	180	10.4	26.5	2	3		41	2.5
9	84	5	16	1605	4	1	4	2	165	10.8	3.3	5	3		29	2.6
9	84	5	16	1605	4	1	4	2	165	10.8	3.3	2	3		6	2.6
9	84	5	16	1610	4	2	4	2	160	10.8	3.3	5	3		9	2.7
9	84	5	16	1610	4	2	4	2	160	10.8	3.3	2	3		1	2.7

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
9	84	5	17	0740	37	3	4	1	-155	11.0	5.0					2.9
9	84	5	17	0745	37	4	4	1	-160	11.0	5.0					2.8
9	84	5	17	0805	18	3	4	1	-180	9.7	4.0	5	3		38	2.7
9	84	5	17	0805	18	3	4	1	-180	9.7	4.0	2	3		3	2.7
9	84	5	17	0810	18	4	4	1	-185	9.7	4.0					2.6
9	84	5	17	0820	151	2	2	1	-195	9.8	2.4	2	3		3	2.5
9	84	5	17	0825	141	2	2	1	-200	9.6	2.2					2.5
9	84	5	17	0830	14	2	2	1	-205	9.6	2.2	5	3		21	2.4
9	84	5	17	0830	14	2	2	1	-205	9.6	2.2	2	3		2	2.4
9	84	5	17	0835	15	2	2	1	-210	9.8	2.4	2	3		1	2.4
9	84	5	17	0835	15	2	2	1	-210	9.8	2.4	5	3		4	2.4
9	84	5	17	0840	47	3	4	1	-215	9.8	0.3	5	3		46	2.3
9	84	5	17	0840	47	3	4	1	-215	9.8	0.3	2	3		4	2.3
9	84	5	17	0840	47	3	4	1	-215	9.8	0.3	3	3	3	1	2.3
9	84	5	17	0845	47	4	4	1	-220	9.8	0.3	5	3		13	2.3
9	84	5	17	0845	47	4	4	1	-220	9.8	0.3	3	3	3	5	2.3
9	84	5	17	0850	10	3	4	1	-225	9.9	1.1					2.2
9	84	5	17	0855	10	4	4	1	225	9.9	1.1	3	3	3	1	2.2
9	84	5	17	0855	10	4	4	1	225	9.9	1.1	5	3		1	2.2
9	84	5	17	0857	7	3	4	1	223	10.2	2.8	5	3		34	2.2
9	84	5	17	0900	7	4	4	1	220	10.2	2.8	5	3		12	2.1
9	84	5	17	0910	2	1	2	1	210	10.4	6.3					2.1
9	84	5	17	0915	2	2	2	1	205	10.4	6.3	5	3		29	2.0
9	84	5	17	0915	2	2	2	1	205	10.4	6.3	3	3	3	1	2.0
9	84	5	17	0920	1	3	4	1	200	10.2	4.7	5	3		79	1.9
9	84	5	17	0920	1	3	4	1	200	10.2	4.7	2	3		4	1.9
9	84	5	17	0925	1	4	4	1	195	10.2	4.7	5	3		13	1.9
9	84	5	17	0935	4	3	4	1	185	9.8	2.4	5	3		160	1.8
9	84	5	17	0935	4	3	4	1	185	9.8	2.4	2	3		38	1.8
9	84	5	17	0935	4	3	4	1	185	9.8	2.4	3	3	3	1	1.8
9	84	5	17	0940	4	4	4	1	180	9.8	2.4					1.7
10	84	6	4	1215	7	1	4	1	120	14.2	3.6	3	2		8	1.4
10	84	6	4	1215	7	1	4	1	120	14.2	3.6	3	1		5	1.4

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
10	84	6	4	1215	7	1	4	1	120	14.2	3.6	5	3		242	1.4
10	84	6	4	1215	7	1	4	1	120	14.2	3.6	5	1		12	1.4
10	84	6	4	1215	7	1	4	1	120	14.2	3.6	2	3		2	1.4
10	84	6	4	1230	7	2	4	1	105	14.2	3.6	3	2		2	1.3
10	84	6	4	1230	7	2	4	1	105	14.2	3.6	5	1		1	1.3
10	84	6	4	1230	7	2	4	1	105	14.2	3.6	5	3		28	1.3
10	84	6	4	1230	7	2	4	1	105	14.2	3.6	3	1		1	1.3
10	84	6	4	1300	37	1	2	1	75	11.7	19.2	5	3		28	1.1
10	84	6	4	1300	37	1	2	1	75	11.7	19.2	3	1		31	1.1
10	84	6	4	1300	37	1	2	1	75	11.7	19.2	3	2		41	1.1
10	84	6	4	1300	37	1	2	1	75	11.7	19.2	5	1		4	1.1
10	84	6	4	1315	37	2	2	1	60	11.7	19.2	3	1		1	1.0
10	84	6	4	1315	37	2	2	1	60	11.7	19.2	3	2		3	1.0
10	84	6	4	1315	37	2	2	1	60	11.7	19.2	5	3		4	1.0
10	84	6	4	1325	3	1	2	1	50	13.1	13.7	3	1		90	0.9
10	84	6	4	1325	3	1	2	1	50	13.1	13.7	3	2		204	0.9
10	84	6	4	1325	3	1	2	1	50	13.1	13.7	6	3		1	0.9
10	84	6	4	1340	3	2	2	1	35	13.1	13.7	3	1		3	0.8
10	84	6	4	1340	3	2	2	1	35	13.1	13.7	3	2		16	0.8
10	84	6	4	1345	2	1	2	1	30	15.4	7.1	3	2		11	0.8
10	84	6	4	1345	2	1	2	1	30	15.4	7.1	3	1		9	0.8
10	84	6	4	1350	2	2	2	1	25	15.4	7.1	3	1		6	0.8
10	84	6	4	1350	2	2	2	1	25	15.4	7.1	3	2		15	0.8
10	84	6	4	1355	1	1	4	1	20	14.3	5.0	3	1		1	0.7
10	84	6	4	1400	1	2	4	1	15	14.3	5.0	3	1		29	0.7
10	84	6	4	1400	1	2	4	1	15	14.3	5.0	3	2		40	0.7
10	84	6	4	1400	1	2	4	1	15	14.3	5.0	1	4		1	0.7
10	84	6	4	1400	1	2	4	1	15	14.3	5.0	5	1		1	0.7
10	84	6	4	1400	1	2	4	1	15	14.3	5.0	5	3		2	0.7
10	84	6	4	1415	4	1	4	1	0	14.3	1.2	5	3		74	0.6
10	84	6	4	1415	4	1	4	1	0	14.3	1.2	2	3		2	0.6
10	84	6	4	1415	4	1	4	1	0	14.3	1.2	3	1		1	0.6
10	84	6	4	1420	4	2	4	2	-5	14.3	1.2	5	3		4	0.7

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
10	84	6	4	1420	4	2	4	2	-5	14.3	1.2	3	1		4	0.7
10	84	6	4	1420	4	2	4	2	-5	14.3	1.2	3	2		2	0.7
10	84	6	4	1430	5	1	2	2	-15	13.5	3.6	3	2		353	0.8
10	84	6	4	1430	5	1	2	2	-15	13.5	3.6	3	1		163	0.8
10	84	6	4	1430	5	1	2	2	-15	13.5	3.6	5	1		5	0.8
10	84	6	4	1430	5	1	2	2	-15	13.5	3.6	2	3		9	0.8
10	84	6	4	1445	5	2	2	2	-30	13.5	3.6	3	1		10	0.9
10	84	6	4	1445	5	2	2	2	-30	13.5	3.6	3	2		26	0.9
10	84	6	4	1445	5	2	2	2	-30	13.5	3.6	2	3		1	0.9
10	84	6	4	1500	35	1	2	2	-45	11.2	19.2					1.0
10	84	6	4	1505	35	2	2	2	-50	11.2	19.2					1.0
10	84	6	4	1520	34	1	2	2	-65	11.6	17.6	3	1		45	1.1
10	84	6	4	1520	34	1	2	2	-65	11.6	17.6	3	2		61	1.1
10	84	6	4	1520	34	1	2	2	-65	11.6	17.6	5	3		18	1.1
10	84	6	4	1520	34	1	2	2	-65	11.6	17.6	5	1		4	1.1
10	84	6	4	1530	34	2	2	2	-75	11.6	17.6	3	1		140	1.2
10	84	6	4	1530	34	2	2	2	-75	11.6	17.6	3	2		175	1.2
10	84	6	4	1530	34	2	2	2	-75	11.6	17.6	5	3		45	1.2
10	84	6	4	1530	34	2	2	2	-75	11.6	17.6	5	1		5	1.2
10	84	6	4	1530	34	2	2	2	-75	11.6	17.6	2	3		5	1.2
10	84	6	4	1530	34	2	2	2	-75	11.6	17.6	1	4		1	1.2
10	84	6	4	1610	21	1	4	2	-115	11.8	28.0	2	3		93	1.5
10	84	6	4	1610	21	1	4	2	-115	11.8	28.0	5	3		6	1.5
10	84	6	4	1610	21	1	4	2	-115	11.8	28.0	5	1		1	1.5
10	84	6	4	1610	21	1	4	2	-115	11.8	28.0	3	2		13	1.5
10	84	6	4	1610	21	1	4	2	-115	11.8	28.0	1	4		8	1.5
10	84	6	4	1620	21	2	4	2	-125	11.8	28.0	2	3		1	1.6
10	84	6	4	1645	6	1	3	2	-150	11.2	1.0	5	3		9	1.8
10	84	6	4	1645	6	1	3	2	-150	11.2	1.0	5	1		6	1.8
10	84	6	4	1645	6	1	3	2	-150	11.2	1.0	3	1		1	1.8
10	84	6	4	1645	6	1	3	2	-150	11.2	1.0	3	2		4	1.8
10	84	6	4	1650	6	2	3	2	-155	11.2	1.0	5	3		358	1.8
10	84	6	4	1650	6	2	3	2	-155	11.2	1.0	3	2		1	1.8

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
10	84	6	4	1705	17	1	1	2	-170	12.8	0.5					1.9
10	84	6	4	1710	16	1	1	2	-175	12.5	0.3	3	2		4	1.9
10	84	6	4	1710	16	1	1	2	-175	12.5	0.3	3	1		1	1.9
10	84	6	4	1710	16	1	1	2	-175	12.5	0.3	5	3		1	1.9
10	84	6	4	1710	16	1	1	2	-175	12.5	0.3	5	1		1	1.9
10	84	6	4	1715	15	1	1	2	-180	12.8	0.5	5	3		1	2.0
10	84	6	4	1715	15	1	1	2	-180	12.8	0.5	2	3		1	2.0
10	84	6	4	1720	14	1	1	2	-185	12.5	0.3	5	3		22	2.1
10	84	6	4	1725	141	1	1	2	-190	12.5	0.3	5	3		1	2.1
10	84	6	4	1730	151	1	1	2	-195	12.8	0.5					2.2
10	84	6	4	1740	18	1	2	2	-205							2.3
10	84	6	4	1745	18	2	2	2	-210			3	2		1	2.3
10	84	6	5	0835	31	1	2	1	-40	9.5	29.6					3.3
10	84	6	5	0840	31	2	2	1	-45	9.5	29.6	1	4		5	3.3
10	84	6	5	0840	31	2	2	1	-45	9.5	29.6	2	3		54	3.2
10	84	6	5	0900	32	1	2	1	-65	10.1	29.3					3.1
10	84	6	5	0910	32	2	2	1	-75	10.1	29.3	5	3		2	3.0
10	84	6	5	0920	322	1	2	1	-85	9.1	30.3	2	3		43	3.0
10	84	6	5	0920	322	1	2	1	-85	9.1	30.3	1	4		12	3.0
10	84	6	5	0930	322	2	2	1	-95	9.1	30.3					2.9
10	84	6	5	0940	328	1	2	1	-105	9.7	30.4					2.8
10	84	6	5	0945	328	2	2	1	-110	9.7	30.4	2	3		1	2.8
10	84	6	5	1015	30	1	2	1	-140	10.0	29.7	2	3		910	2.6
10	84	6	5	1015	30	1	2	1	-140	10.0	29.7	1	4		57	2.6
10	84	6	5	1035	30	2	2	1	-160	10.0	29.7	2	3		287	2.5
10	84	6	5	1035	30	2	2	1	-160	10.0	29.7	1	4		19	2.5
10	84	6	5	1100	24	1	2	1	-185	10.8	29.4	1	4		1	2.4
10	84	6	5	1105	24	2	2	1	-190	10.8	29.4	4	3		11	2.4
10	84	6	5	1105	24	2	2	1	-190	10.8	29.4	2	3		171	2.4
10	84	6	5	1105	24	2	2	1	-190	10.8	29.4	1	4		334	2.4
10	84	6	5	1105	24	2	2	1	-190	10.8	29.4	5	3		1	2.4
10	84	6	5	1130	241	1	2	1	215	13.2	27.7	2	3		221	2.2
10	84	6	5	1130	241	1	2	1	215	13.2	27.7	1	4		24	2.2

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
10	84	6	5	1130	241	1	2	1	215	13.2	27.7	5	3		1	2.2
10	84	6	5	1130	241	1	2	1	215	13.2	27.7	3	2		9	2.2
10	84	6	5	1130	241	1	2	1	215	13.2	27.7	5	1		2	2.2
10	84	6	5	1130	241	1	2	1	215	13.2	27.7	4	3		4	2.2
10	84	6	5	1145	241	2	2	1	200	13.2	27.7	2	3		1	2.1
10	84	6	5	1240	25	1	2	1	145	10.8	29.4					1.8
10	84	6	5	1245	25	2	2	1	140	10.8	29.4					1.8
10	84	6	5	1300	23	1	2	1	125			1	4		85	1.7
10	84	6	5	1300	23	1	2	1	125			2	3		224	1.7
10	84	6	5	1300	23	1	2	1	125			3	1		1	1.7
10	84	6	5	1315	23	2	2	1	110			4	3		1	1.6
10	84	6	5	1315	23	2	2	1	110			2	3		81	1.6
10	84	6	5	1315	23	2	2	1	110			1	4		11	1.6
10	84	6	5	1315	23	2	2	1	110			3	1		1	1.6
10	84	6	5	1425	27	1	2	1	40	10.2	29.4	5	3		1	1.2
10	84	6	5	1425	27	1	2	1	40	10.2	29.4	2	3		775	1.2
10	84	6	5	1425	27	1	2	1	40	10.2	29.4	1	4		480	1.2
10	84	6	5	1440	27	2	2	1	25	10.2	29.4	2	3		1500	1.1
10	84	6	5	1440	27	2	2	1	25	10.2	29.4	1	4		828	1.1
10	84	6	5	1440	27	2	2	1	25	10.2	29.4	4	3		5	1.1
10	84	6	5	1515	28	1	2	2	-10	10.7	29.5	5	3		32	1.0
10	84	6	5	1515	28	1	2	2	-10	10.7	29.5	2	3		64	1.0
10	84	6	5	1515	28	1	2	2	-10	10.7	29.5	1	4		13	1.0
10	84	6	5	1515	28	1	2	2	-10	10.7	29.5	3	2		3	1.0
10	84	6	5	1525	28	2	2	2	-20	10.7	29.5	2	3		117	1.0
10	84	6	5	1525	28	2	2	2	-20	10.7	29.5	1	4		11	1.0
10	84	6	5	1525	28	2	2	2	-20	10.7	29.5	5	3		45	1.0
10	84	6	5	1540	292	1	2	2	-35	12.3	28.6	2	3		1596	1.1
10	84	6	5	1540	292	1	2	2	-35	12.3	28.6	1	4		749	1.1
10	84	6	5	1540	292	1	2	2	-35	12.3	28.6	6	3		7	1.1
10	84	6	5	1540	292	1	2	2	-35	12.3	28.6	3	1		35	1.1
10	84	6	5	1540	292	1	2	2	-35	12.3	28.6	3	2		140	1.1
10	84	6	5	1540	292	1	2	2	-35	12.3	28.6	4	3		7	1.1

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
10	84	6	5	1600	292	2	2	2	-55	12.3	28.6	1	4		350	1.2
10	84	6	5	1600	292	2	2	2	-55	12.3	28.6	2	3		952	1.2
10	84	6	5	1600	292	2	2	2	-55	12.3	28.6	3	2		10	1.2
10	84	6	5	1620	21	3	4	2	-75	12.1	28.3	5	3		45	1.3
10	84	6	5	1620	21	3	4	2	-75	12.1	28.3	2	3		61	1.3
10	84	6	5	1625	21	4	4	2	-80	12.1	28.3	3	1		10	1.4
10	84	6	5	1625	21	4	4	2	-80	12.1	28.3	3	2		14	1.4
10	84	6	5	1625	21	4	4	2	-80	12.1	28.3	2	3		8	1.4
10	84	6	5	1625	21	4	4	2	-80	12.1	28.3	1	4		3	1.4
10	84	6	5	1625	21	4	4	2	-80	12.1	28.3	5	3		1	1.4
10	84	6	5	1705	20	1	2	2	-120	9.8	27.5					1.7
10	84	6	5	1710	20	2	2	2	-125	9.8	27.5					1.8
10	84	6	6	0905	47	1	2	2	20	12.4	0.0	5	3		69	3.1
10	84	6	6	0910	47	2	2	2	15	12.4	0.0	5	3		6	3.1
10	84	6	6	0920	10	1	2	2	5	12.2	1.1					3.1
10	84	6	6	0925	10	2	2	2	0	12.2	1.1					3.1
10	84	6	6	0930	8	1	2	1	-5	11.6	2.2	6	3		1	3.1
10	84	6	6	0935	8	2	2	1	-10	11.6	2.2	3	2		1	3.1
10	84	6	6	0935	8	2	2	1	-10	11.6	2.2	5	3		2	3.1
10	84	6	6	0935	8	2	2	1	-10	11.6	2.2	2	3		1	3.1
10	84	6	6	0940	7	3	4	1	-15	12.2	2.3	5	3		79	3.1
10	84	6	6	0940	7	3	4	1	-15	12.2	2.3	3	2		6	3.1
10	84	6	6	0940	7	3	4	1	-15	12.2	2.3	2	3		2	3.1
10	84	6	6	0945	7	4	4	1	-20	12.2	2.3	3	1		8	3.1
10	84	6	6	0945	7	4	4	1	-20	12.2	2.3	5	3		9	3.1
10	84	6	6	0945	7	4	4	1	-20	12.2	2.3	3	2		26	3.1
10	84	6	6	0945	7	4	4	1	-20	12.2	2.3	5	1		1	3.1
10	84	6	6	0955	6	3	3	1	-30	13.2	2.8	5	3		183	3.1
10	84	6	6	0955	6	3	3	1	-30	13.2	2.8	3	2		104	3.1
10	84	6	6	0955	6	3	3	1	-30	13.2	2.8	3	1		19	3.1
10	84	6	6	0955	6	3	3	1	-30	13.2	2.8	5	1		15	3.1
10	84	6	6	0955	6	3	3	1	-30	13.2	2.8	6	3		1	3.1
10	84	6	6	0955	6	3	3	1	-30	13.2	2.8	2	3		2	3.1

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
10	84	6	6	1020	4	3	4	1	-55	12.5	4.3	3	1		175	3.0
10	84	6	6	1020	4	3	4	1	-55	12.5	4.3	3	2		1042	3.0
10	84	6	6	1035	4	4	4	1	-70	12.5	4.3	3	1		85	2.9
10	84	6	6	1035	4	4	4	1	-70	12.5	4.3	3	2		565	2.9
10	84	6	6	1035	4	4	4	1	-70	12.5	4.3	5	3		5	2.9
10	84	6	6	1050	1	3	4	1	-85	13.8	4.6	3	1		149	2.8
10	84	6	6	1050	1	3	4	1	-85	13.8	4.6	3	2		457	2.8
10	84	6	6	1050	1	3	4	1	-85	13.8	4.6	5	3		5	2.8
10	84	6	6	1050	1	3	4	1	-85	13.8	4.6	5	1		5	2.8
10	84	6	6	1100	1	4	4	1	-95	13.8	4.6	3	1		67	2.8
10	84	6	6	1100	1	4	4	1	-95	13.8	4.6	3	2		266	2.8
10	84	6	6	1115	11	1	1	1	-110	13.9	5.5					2.7
10	84	6	6	1125	111	1	2	1	-120	13.8	5.7					2.7
10	84	6	6	1130	111	2	2	1	-125	13.8	5.7					2.7
11	84	6	18	1325	7	1	8	1	40			5	2		796	1.3
11	84	6	18	1325	7	1	8	1	40			5	1		62	1.3
11	84	6	18	1325	7	1	8	1	40			5	3		6	1.3
11	84	6	18	1340	7	2	8	1	25			5	2		314	1.2
11	84	6	18	1340	7	2	8	1	25			5	3		6	1.2
11	84	6	18	1340	7	2	8	1	25			5	1		25	1.2
11	84	6	18	1340	7	2	8	1	25			2	3		3	1.2
11	84	6	18	1340	7	2	8	1	25			6	3		3	1.2
11	84	6	18	1400	6	1	6	1	5	14.8	1.4	5	3		4	1.1
11	84	6	18	1400	6	1	6	1	5	14.8	1.4	5	2		1	1.1
11	84	6	18	1405	6	2	6	1	0	14.8	1.4	5	3		122	1.1
11	84	6	18	1420	1	1	6	2	-15	15.2	2.1	2	3		1	1.1
11	84	6	18	1420	1	1	6	2	-15	15.2	2.1	5	3		1	1.1
11	84	6	18	1425	1	2	6	2	-20	15.2	2.1	5	2		32	1.1
11	84	6	18	1425	1	2	6	2	-20	15.2	2.1	2	3		1	1.1
11	84	6	18	1425	1	2	6	2	-20	15.2	2.1	5	3		21	1.1
11	84	6	18	1425	1	2	6	2	-20	15.2	2.1	5	1		2	1.1
11	84	6	18	1440	5	1	2	2	-35	15.3	4.1	5	2		378	1.2
11	84	6	18	1440	5	1	2	2	-35	15.3	4.1	5	1		80	1.2

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
11	84	6	18	1440	5	1	2	2	-35	15.3	4.1	5	3		6	1.2
11	84	6	18	1440	5	1	2	2	-35	15.3	4.1	4	3		2	1.2
11	84	6	18	1440	5	1	2	2	-35	15.3	4.1	2	3		2	1.2
11	84	6	18	1440	5	1	2	2	-35	15.3	4.1	5	4		2	1.2
11	84	6	18	1455	5	2	2	2	-40	15.3	4.1	5	2		335	1.2
11	84	6	18	1455	5	2	2	2	-40	15.3	4.1	5	1		57	1.2
11	84	6	18	1455	5	2	2	2	-40	15.3	4.1	2	3		13	1.2
11	84	6	18	1455	5	2	2	2	-40	15.3	4.1	5	3		52	1.2
11	84	6	18	1455	5	2	2	2	-40	15.3	4.1	3	2	4	3	1.2
11	84	6	18	1510	4	1	6	2	-65	14.7	0.1	5	2		79	1.4
11	84	6	18	1510	4	1	6	2	-65	14.7	0.1	5	1		6	1.4
11	84	6	18	1510	4	1	6	2	-65	14.7	0.1	5	3		97	1.4
11	84	6	18	1510	4	1	6	2	-65	14.7	0.1	2	3		20	1.4
11	84	6	18	1510	4	1	6	2	-65	14.7	0.1	3	1		3	1.4
11	84	6	18	1510	4	1	6	2	-65	14.7	0.1	3	3		2	1.4
11	84	6	18	1525	4	2	6	2	-80	14.7	0.1	5	3		84	1.5
11	84	6	18	1525	4	2	6	2	-80	14.7	0.1	2	3		12	1.5
11	84	6	18	1525	4	2	6	2	-80	14.7	0.1	3	2		7	1.5
11	84	6	18	1525	4	2	6	2	-80	14.7	0.1	5	2		20	1.5
11	84	6	18	1525	4	2	6	2	-80	14.7	0.1	5	1		6	1.5
11	84	6	18	1545	37	1	4	2	-100	14.7	15.2					1.6
11	84	6	18	1550	37	2	4	2	-105	14.7	15.2					1.7
11	84	6	18	1605	2	1	4	2	-120	15.2	0.8					1.8
11	84	6	18	1610	2	2	4	2	-125	15.2	0.8	5	2		77	1.9
11	84	6	18	1610	2	2	4	2	-125	15.2	0.8	5	1		4	1.9
11	84	6	18	1610	2	2	4	2	-125	15.2	0.8	5	3		2	1.9
11	84	6	18	1610	2	2	4	2	-125	15.2	0.8	6	3		1	1.9
11	84	6	18	1620	3	1	6	2	-135	15.5	1.6	5	3		4	1.9
11	84	6	18	1625	3	2	6	2	-140	15.5	1.6	5	2		10	2.0
11	84	6	18	1625	3	2	6	2	-140	15.5	1.6	5	3		18	2.0
11	84	6	18	1650	17	1	1	2	-165	15.0	0.0					2.1
11	84	6	18	1655	16	1	1	2	-170	15.2	0.3					2.1
11	84	6	18	1657	15	1	2	2	-172	15.0	0.0					2.1

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
11	84	6	18	1700	14	1	2	2	-175	15.2	0.3	5	3		1	2.2
11	84	6	18	1705	151	1	2	2	-180	15.0	0.0	2	3		1	2.2
11	84	6	18	1710	141	1	2	2	-185	15.2	0.3	5	3		8	2.3
11	84	6	18	1725	18	1	4	2	-200			5	3		7	2.4
11	84	6	18	1730	18	2	4	2	-205			5	3		20	2.5
11	84	6	18	1730	18	2	4	2	-205			5	2		1	2.5
11	84	6	18	1740	11	1	2	2	-215	15.2	1.8	5	3		17	2.6
11	84	6	18	1740	11	1	2	2	-215	15.2	1.8	5	2		3	2.6
11	84	6	19	0825	31	1	2	1	-55	10.7	31.3	2	3		10	2.9
11	84	6	19	0825	31	1	2	1	-55	10.7	31.3	1	4		2	2.9
11	84	6	19	0830	31	2	2	1	-60	10.7	31.3	2	3		5	2.9
11	84	6	19	0925	32	1	2	1	-115	11.2	29.8					2.7
11	84	6	19	0930	32	2	2	1	-120	11.2	29.8					2.7
11	84	6	19	0945	322	1	2	1	-135	11.2	31.1	6	3		1	2.6
11	84	6	19	0945	322	1	2	1	-135	11.2	31.1	2	3		11	2.6
11	84	6	19	0945	322	1	2	1	-135	11.2	31.1	1	4		1	2.6
11	84	6	19	0950	322	2	2	1	-140	11.2	31.1	2	3		1	2.6
11	84	6	19	1025	30	1	2	1	-175	11.3	30.8					2.5
11	84	6	19	1028	30	2	2	1	-178	11.3	30.8					2.5
11	84	6	19	1045	24	1	2	1	-195	11.7	31.0	2	3		1	2.4
11	84	6	19	1050	24	2	2	1	-200	11.7	31.0	2	3		189	2.4
11	84	6	19	1050	24	2	2	1	-200	11.7	31.0	1	4		7	2.4
11	84	6	19	1050	24	2	2	1	-200	11.7	31.0	4	3		45	2.4
11	84	6	19	1115	241	1	2	1	220	12.8	30.5	4	3		75	2.2
11	84	6	19	1115	241	1	2	1	220	12.8	30.5	2	3		88	2.2
11	84	6	19	1115	241	1	2	1	220	12.8	30.5	5	2		9	2.2
11	84	6	19	1115	241	1	2	1	220	12.8	30.5	1	4		2	2.2
11	84	6	19	1130	241	2	2	1	205	12.8	30.5	5	.		2	2.1
11	84	6	19	1130	241	2	2	1	205	12.8	30.5	2	3		3	2.1
11	84	6	19	1130	241	2	2	1	205	12.8	30.5	5	2		3	2.1
11	84	6	19	1130	241	2	2	1	205	12.8	30.5	4	3		4	2.1
11	84	6	19	1230	25	1	2	1	145	13.5	30.3	2	3		375	1.9
11	84	6	19	1230	25	1	2	1	145	13.5	30.3	4	3		48	1.9

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
11	84	6	19	1230	25	1	2	1	145	13.5	30.3	5	2		6	1.9
11	84	6	19	1245	25	2	2	1	130	13.5	30.3	2	3		510	1.9
11	84	6	19	1245	25	2	2	1	130	13.5	30.3	4	3		57	1.9
11	84	6	19	1245	25	2	2	1	130	13.5	30.3	6	3		9	1.9
11	84	6	19	1245	25	2	2	1	130	13.5	30.3	3	1		3	1.9
11	84	6	19	1315	23	1	2	1	100	12.2	30.1	2	3		789	1.7
11	84	6	19	1315	23	1	2	1	100	12.2	30.1	4	3		430	1.7
11	84	6	19	1315	23	1	2	1	100	12.2	30.1	1	4		5	1.7
11	84	6	19	1330	23	2	2	1	85	12.2	30.1	2	3		1	1.6
11	84	6	19	1350	27	1	4	1	65	11.6	30.4	2	3		38	1.6
11	84	6	19	1350	27	1	4	1	65	11.6	30.4	4	3		1	1.6
11	84	6	19	1355	27	2	4	1	60	11.6	30.4	2	3		1412	1.5
11	84	6	19	1355	27	2	4	1	60	11.6	30.4	1	4		92	1.5
11	84	6	19	1355	27	2	4	1	60	11.6	30.4	5	2		4	1.5
11	84	6	19	1435	28	1	2	1	20	13.6	30.2					1.4
11	84	6	19	1440	28	2	2	1	15	13.6	30.2					1.4
11	84	6	19	1500	292	1	2	2	-5	14.3	31.2	2	3		648	1.4
11	84	6	19	1500	292	1	2	2	-5	14.3	31.2	1	4		18	1.4
11	84	6	19	1500	292	1	2	2	-5	14.3	31.2	4	3		3	1.4
11	84	6	19	1500	292	1	2	2	-5	14.3	31.2	5	3		18	1.4
11	84	6	19	1500	292	1	2	2	-5	14.3	31.2	3	1		3	1.4
11	84	6	19	1500	292	1	2	2	-5	14.3	31.2	5	2		6	1.4
11	84	6	19	1515	292	2	2	2	-20	14.3	31.2	5	1		3	1.4
11	84	6	19	1515	292	2	2	2	-20	14.3	31.2	2	3		582	1.5
11	84	6	19	1515	292	2	2	2	-20	14.3	31.2	1	4		69	1.5
11	84	6	19	1515	292	2	2	2	-20	14.3	31.2	3	2		3	1.5
11	84	6	19	1515	292	2	2	2	-20	14.3	31.2	5	2		9	1.5
11	84	6	19	1545	34	1	2	2	-50	14.2	22.1	5	3		3	1.5
11	84	6	19	1545	34	1	2	2	-50	14.2	22.1	5	2		32	1.7
11	84	6	19	1545	34	1	2	2	-50	14.2	22.1	5	1		5	1.7
												5	3		14	1.7

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
11	84	6	19	1545	34	1	2	2	-50	14.2	22.1	2	3		6	1.7
11	84	6	19	1550	34	2	2	2	-55	14.2	22.1	5	2		512	1.7
11	84	6	19	1550	34	2	2	2	-55	14.2	22.1	5	3		96	1.7
11	84	6	19	1550	34	2	2	2	-55	14.2	22.1	2	3		64	1.7
11	84	6	19	1550	34	2	2	2	-55	14.2	22.1	5	1		56	1.7
11	84	6	19	1550	34	2	2	2	-55	14.2	22.1	6	3		4	1.7
11	84	6	19	1550	34	2	2	2	-55	14.2	22.1	4	3		12	1.7
11	84	6	19	1625	21	1	3	2	-90	13.7	29.7	5	2		544	2.0
11	84	6	19	1625	21	1	3	2	-90	13.7	29.7	2	3		340	2.0
11	84	6	19	1625	21	1	3	2	-90	13.7	29.7	3	2		92	2.0
11	84	6	19	1625	21	1	3	2	-90	13.7	29.7	3	1		17	2.0
11	84	6	19	1625	21	1	3	2	-90	13.7	29.7	4	3		65	2.0
11	84	6	19	1625	21	1	3	2	-90	13.7	29.7	5	3		7	2.0
11	84	6	19	1625	21	1	3	2	-90	13.7	29.7	5	1		44	2.0
11	84	6	19	1625	21	1	3	2	-90	13.7	29.7	3	1		10	2.0
11	84	6	19	1700	20	1	4	2	-125	11.0	30.7	2	3		72	2.2
11	84	6	19	1700	20	1	4	2	-125	11.0	30.7	5	2		19	2.2
11	84	6	19	1700	20	1	4	2	-125	11.0	30.7	5	3		1	2.2
11	84	6	19	1700	20	1	4	2	-125	11.0	30.7	4	3		2	2.2
11	84	6	19	1705	20	2	4	2	-130	11.0	30.7	2	3		88	2.3
11	84	6	19	1705	20	2	4	2	-130	11.0	30.7	5	2		3	2.3
11	84	6	19	1705	20	2	4	2	-130	11.0	30.7	4	3		1	2.3
11	84	6	19	1705	20	2	4	2	-130	11.0	30.7	5	1		1	2.3
11	84	6	19	1705	20	2	4	2	-130	11.0	30.7	3	4		1	2.3
11	84	6	20	0725	47	1	4	2	-80	13.4	0.0	5	3		3	2.8
11	84	6	20	0730	47	2	4	2	-85	13.4	0.0	5	3		6	2.8
11	84	6	20	0735	10	1	2	2	-90	13.8	1.1					2.8
11	84	6	20	0740	10	2	2	2	-95	13.8	1.1					2.8
11	84	6	20	0750	7	3	8	2	90	13.3	1.9	2	3		1	2.8
11	84	6	20	0750	7	3	8	2	90	13.3	1.9	5	2		456	2.8
11	84	6	20	0750	7	3	8	2	90	13.3	1.9	5	1		51	2.8
11	84	6	20	0750	7	3	8	2	90	13.3	1.9	5	3		11	2.8
11	84	6	20	0805	7	4	8	2	75	13.3	1.9	5	1		16	2.9

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
11	84	6	20	0805	7	4	8	2	75	13.3	1.9	7	4		1	2.9
11	84	6	20	0805	7	4	8	2	75	13.3	1.9	5	2		78	2.9
11	84	6	20	0805	7	4	8	2	75	13.3	1.9	5	3		6	2.9
11	84	6	20	0825	8	1	4	2	55	13.7	2.8	5	2		39	2.9
11	84	6	20	0825	8	1	4	2	55	13.7	2.8	5	1		6	2.9
11	84	6	20	0825	8	1	4	2	55	13.7	2.8	5	3		2	2.9
11	84	6	20	0830	8	2	4	2	50	13.7	2.8	5	3		28	2.9
11	84	6	20	0830	8	2	4	2	50	13.7	2.8	5	2		357	2.9
11	84	6	20	0830	8	2	4	2	50	13.7	2.8	5	1		28	2.9
11	84	6	20	0830	8	2	4	2	50	13.7	2.8	3	4		2	2.9
11	84	6	20	0840	6	3	6	2	40	14.2	3.4	5	3		43	2.9
11	84	6	20	0840	6	3	6	2	40	14.2	3.4	5	2		2	2.9
11	84	6	20	0845	6	4	6	2	35	14.2	3.4	5	2		91	2.9
11	84	6	20	0845	6	4	6	2	35	14.2	3.4	5	3		1	2.9
11	84	6	20	0845	6	4	6	2	35	14.2	3.4	5	1		15	2.9
11	84	6	20	0900	4	3	6	2	20	13.4	7.1	5	3		171	2.9
11	84	6	20	0900	4	3	6	2	20	13.4	7.1	5	2		102	2.9
11	84	6	20	0900	4	3	6	2	20	13.4	7.1	5	1		6	2.9
11	84	6	20	0900	4	3	6	2	20	13.4	7.1	2	3		90	2.9
11	84	6	20	0900	4	3	6	2	20	13.4	7.1	3	2		96	2.9
11	84	6	20	0900	4	3	6	2	20	13.4	7.1	3	1		9	2.9
11	84	6	20	0900	4	3	6	2	20	13.4	7.1	6	3		3	2.9
11	84	6	20	0915	4	4	6	2	5	13.4	7.1	5	2		1	2.9
11	84	6	20	0920	1	3	6	2	0	14.3	7.0	5	3		5	2.9
11	84	6	20	0920	1	3	6	2	0	14.3	7.0	6	3		1	2.9
11	84	6	20	0925	1	4	6	1	-5	14.3	7.0	5	3		3	2.9
11	84	6	20	0925	1	4	6	1	-5	14.3	7.0	3	4		1	2.9
11	84	6	20	0940	37	3	4	1	-20	14.9	12.3	5	3		1	2.9
11	84	6	20	0940	37	3	4	1	-20	14.9	12.3	3	1		1	2.9
11	84	6	20	0945	37	4	4	1	-25	14.9	12.3	5	3		2	2.9
11	84	6	20	0945	37	4	4	1	-25	14.9	12.3	5	1		1	2.9
11	84	6	20	0950	3	3	6	1	-30	14.8	5.0	5	3		2	2.8
11	84	6	20	0955	3	4	6	1	-35	14.8	5.0	6	3		2	2.8

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
11	84	6	20	1005	11	2	2	1	-45	15.3	5.3	5	2		1	2.8
11	84	6	20	1015	13	1	2	1	-55	14.8	7.7	5	2		1	2.8
11	84	6	20	1020	13	2	2	1	-60	14.8	7.7	5	3		1	2.8
11	84	6	20	1020	13	2	2	1	-60	14.8	7.7	3	4		1	2.8
11	84	6	20	1028	18	3	4	1	-68	14.8	3.2	5	2		3	2.7
11	84	6	20	1028	18	3	4	1	-68	14.8	3.2	5	3		14	2.7
11	84	6	20	1028	18	3	4	1	-68	14.8	3.2	3	4		1	2.7
11	84	6	20	1030	18	4	4	1	-70	14.8	3.2					2.7
11	84	6	20	1040	15	2	2	1	-80	15.5	3.9	5	3		8	2.7
11	84	6	20	1045	14	2	2	1	-85	15.5	3.9	5	3		3	2.7
11	84	6	20	1050	151	2	2	1	-90	15.5	3.9	5	3		5	2.7
11	84	6	20	1055	141	2	2	1	-95	15.5	3.9					2.6
11	84	6	20	1305	7	5	8	1	155	17.1	1.9	3	4		6	2.2
11	84	6	20	1305	7	5	8	1	155	17.1	1.9	5	2		438	2.2
11	84	6	20	1305	7	5	8	1	155	17.1	1.9	5	1		54	2.2
11	84	6	20	1305	7	5	8	1	155	17.1	1.9	5	3		3	2.2
11	84	6	20	1315	7	6	8	1	145	17.1	1.9	5	3		5	2.2
11	84	6	20	1315	7	6	8	1	145	17.1	1.9	5	2		174	2.2
11	84	6	20	1315	7	6	8	1	145	17.1	1.9	5	1		14	2.2
11	84	6	20	1315	7	6	8	1	145	17.1	1.9	3	4		4	2.2
11	84	6	20	1345	22	1	4	1	115	12.8	31.5	5	3		1	2.1
11	84	6	20	1350	22	2	4	1	110	12.8	31.5	5	1		8	2.1
11	84	6	20	1350	22	2	4	1	110	12.8	31.5	5	2		92	2.1
11	84	6	20	1350	22	2	4	1	110	12.8	31.5	2	3		61	2.1
11	84	6	20	1350	22	2	4	1	110	12.8	31.5	3	4		1	2.1
11	84	6	20	1350	22	2	4	1	110	12.8	31.5	4	3		2	2.1
11	84	6	20	1430	26	1	2	1	70	12.4	31.3	2	3		132	2.0
11	84	6	20	1430	26	1	2	1	70	12.4	31.3	4	3		2	2.0
11	84	6	20	1430	26	1	2	1	70	12.4	31.3	1	4		53	2.0
11	84	6	20	1440	26	2	2	1	60	12.4	31.3					2.0
11	84	6	20	1505	27	3	4	1	35	11.8	31.1	5	3		6	1.9
11	84	6	20	1510	27	4	4	1	30	11.8	31.1	2	3		412	1.9
11	84	6	20	1510	27	4	4	1	30	11.8	31.1	1	4		70	1.9

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
11	84	6	20	1510	27	4	4	1	30	11.8	31.1	4	3		5	1.9
11	84	6	20	1550	21	2	3	2	-10	12.3	30.9					1.8
11	84	6	20	1555	21	3	3	2	-15	12.3	30.9	5	2		26	1.8
11	84	6	20	1555	21	3	3	2	-15	12.3	30.9	2	3		1	1.8
11	84	6	21	0747	47	3	4	2	-52			5	3		17	2.6
11	84	6	21	0750	47	4	4	2	-55			5	3		13	2.6
11	84	6	21	0840	7	7	8	2	-105			5	3		15	2.7
11	84	6	21	0840	7	7	8	2	-105			5	1		56	2.7
11	84	6	21	0840	7	7	8	2	-105			5	2		709	2.7
11	84	6	21	0840	7	7	8	2	-105			3	2		8	2.7
11	84	6	21	0840	7	7	8	2	-105			3	1		4	2.7
11	84	6	21	0849	7	8	8	2	-114			5	1		4	2.7
11	84	6	21	0849	7	8	8	2	-114			5	3		4	2.7
11	84	6	21	0849	7	8	8	2	-114			5	2		56	2.7
11	84	6	21	0849	7	8	8	2	-114			3	2		2	2.7
11	84	6	21	0900	6	5	6	2	-125			5	3		291	2.7
11	84	6	21	0900	6	5	6	2	-125			5	2		2	2.7
11	84	6	21	0909	6	6	6	2	116			5	3		148	2.7
11	84	6	21	0928	4	5	6	2	97			5	3		167	2.7
11	84	6	21	0928	4	5	6	2	97			5	2		9	2.8
11	84	6	21	0928	4	5	6	2	97			3	1		4	2.8
11	84	6	21	0928	4	5	6	2	97			3	2		14	2.8
11	84	6	21	0928	4	5	6	2	97			2	3		5	2.8
11	84	6	21	0928	4	5	6	2	97			3	3	3	1	2.8
11	84	6	21	0936	4	6	6	2	89			5	3		60	2.8
11	84	6	21	0936	4	6	6	2	89			5	1		8	2.8
11	84	6	21	0936	4	6	6	2	89			3	2		53	2.8
11	84	6	21	0936	4	6	6	2	89			3	1		5	2.8
11	84	6	21	0936	4	6	6	2	89			2	3		3	2.8
11	84	6	21	0936	4	6	6	2	89			5	2		98	2.8
11	84	6	21	0952	20	3	4	2	73			2	3		94	2.8
11	84	6	21	0952	20	3	4	2	73			1	4		33	2.8
11	84	6	21	0952	20	3	4	2	73			5	3		4	2.8

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
11	84	6	21	0952	20	3	4	2	73			4	3		1	2.8
11	84	6	21	1004	20	4	4	2	61			2	3		47	2.8
11	84	6	21	1004	20	4	4	2	61			1	4		4	2.8
11	84	6	21	1004	20	4	4	2	61			5	3		2	2.8
11	84	6	21	1023	22	3	4	2	42			5	1		17	2.6
11	84	6	21	1023	22	3	4	2	42			5	3		16	2.8
11	84	6	21	1023	22	3	4	2	42			5	2		148	2.8
11	84	6	21	1023	22	3	4	2	42			3	4		2	2.8
11	84	6	21	1023	22	3	4	2	42			1	4		11	2.8
11	84	6	21	1023	22	3	4	2	42			2	3		77	2.8
11	84	6	21	1035	22	4	4	2	30			5	1		9	2.9
11	84	6	21	1035	22	4	4	2	30			5	2		94	2.9
11	84	6	21	1035	22	4	4	2	30			1	4		12	2.9
11	84	6	21	1035	22	4	4	2	30			2	3		90	2.9
11	84	6	21	1035	22	4	4	2	30			5	3		14	2.9
11	84	6	21	1035	22	4	4	2	30			3	2		1	2.9
11	84	6	21	1329	1	5	6	1	-144			5	2		13	2.6
11	84	6	21	1329	1	5	6	1	-144			5	3		6	2.6
11	84	6	21	1329	1	5	6	1	-144			5	1		2	2.6
11	84	6	21	1336	1	6	6	1	-151			5	2		57	2.6
11	84	6	21	1336	1	6	6	1	-151			5	1		3	2.6
11	84	6	21	1336	1	6	6	1	-151			5	3		12	2.6
11	84	6	21	1336	1	6	6	1	-151			3	2		2	2.6
11	84	6	21	1349	3	5	6	1	151							2.5
11	84	6	21	1351	3	6	6	1	149							2.5
11	84	6	21	1404	2	3	4	1	136			5	2		179	2.5
11	84	6	21	1404	2	3	4	1	136			5	1		12	2.5
11	84	6	21	1404	2	3	4	1	136			1	4		1	2.5
11	84	6	21	1404	2	3	4	1	136			5	3		4	2.5
11	84	6	21	1404	2	3	4	1	136			2	3		1	2.5
11	84	6	21	1409	2	4	4	1	131							2.5
11	84	6	21	1435	8	3	4	1	105			5	1		6	2.4
11	84	6	21	1435	8	3	4	1	105			5	2		64	2.4

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
11	84	6	21	1435	8	3	4	1	105			5	3		9	2.4
11	84	6	21	1445	8	4	4	1	95			5	2		228	2.3
11	84	6	21	1445	8	4	4	1	95			5	1		40	2.3
11	84	6	21	1445	8	4	4	1	95			5	3		4	2.3
12	84	7	3	1215	7	1	4	1	115			5	3		28	1.5
12	84	7	3	1215	7	1	4	1	115			5	2		55	1.5
12	84	7	3	1215	7	1	4	1	115			5	1		13	1.5
12	84	7	3	1215	7	1	4	1	115			2	3		5	1.5
12	84	7	3	1225	7	2	4	1	105			5	3		7	1.4
12	84	7	3	1225	7	2	4	1	105			5	2		63	1.4
12	84	7	3	1225	7	2	4	1	105			5	1		9	1.4
12	84	7	3	1225	7	2	4	1	105			2	3		13	1.4
12	84	7	3	1250	1	1	4	1	80	15.0	9.9	5	3		24	1.3
12	84	7	3	1250	1	1	4	1	80	15.0	9.9	5	2		3	1.3
12	84	7	3	1250	1	1	4	1	80	15.0	9.9	2	3		1	1.3
12	84	7	3	1255	1	2	4	1	75	15.0	9.9	5	3		6	1.3
12	84	7	3	1255	1	2	4	1	75	15.0	9.9	5	2		7	1.3
12	84	7	3	1255	1	2	4	1	75	15.0	9.9	5	1		1	1.3
12	84	7	3	1255	1	2	4	1	75	15.0	9.9	2	3		1	1.3
12	84	7	3	1310	37	1	4	1	60	14.6	19.7	5	3		13	1.2
12	84	7	3	1310	37	1	4	1	60	14.6	19.7	5	2		16	1.2
12	84	7	3	1310	37	1	4	1	60	14.6	19.7	5	1		4	1.2
12	84	7	3	1310	37	1	4	1	60	14.6	19.7	3	1		1	1.2
12	84	7	3	1315	37	2	4	1	55	14.6	19.7	5	3		4	1.1
12	84	7	3	1315	37	2	4	1	55	14.6	19.7	5	2		21	1.1
12	84	7	3	1315	37	2	4	1	55	14.6	19.7	5	1		7	1.1
12	84	7	3	1315	37	2	4	1	55	14.6	19.7	2	3		31	1.1
12	84	7	3	1325	3	1	2	1	45	13.8	21.8	5	2		1	1.0
12	84	7	3	1330	3	2	2	1	40	13.8	21.8	5	3		4	1.0
12	84	7	3	1330	3	2	2	1	40	13.8	21.8	5	2		3	1.0
12	84	7	3	1340	2	1	2	1	30	17.3	11.3	5	3		2	0.9
12	84	7	3	1340	2	1	2	1	30	17.3	11.3	5	2		8	0.9
12	84	7	3	1340	2	1	2	1	30	17.3	11.3	2	3		7	0.9

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
12	84	7	3	1345	2	2	2	1	25	17.3	11.3	5	3		2	0.9
12	84	7	3	1345	2	2	2	1	25	17.3	11.3	5	2		3	0.9
12	84	7	3	1345	2	2	2	1	25	17.3	11.3	2	3		9	0.9
12	84	7	3	1350	4	1	4	1	20	14.8	0.8	5	3		118	0.9
12	84	7	3	1350	4	1	4	1	20	14.8	0.8	5	2		95	0.9
12	84	7	3	1350	4	1	4	1	20	14.8	0.8	3	2		6	0.9
12	84	7	3	1350	4	1	4	1	20	14.8	0.8	5	1		6	0.9
12	84	7	3	1350	4	1	4	1	20	14.8	0.8	2	3		108	0.9
12	84	7	3	1350	4	1	4	1	20	14.8	0.8	3	3	3	2	0.9
12	84	7	3	1350	4	1	4	1	20	14.8	0.8	3	1		1	0.9
12	84	7	3	1420	4	2	4	2	-10	14.8	0.8	3	1		1	0.8
12	84	7	3	1420	4	2	4	2	-10	14.8	0.8	5	3		9	0.8
12	84	7	3	1430	5	1	2	2	-20	15.6	7.2	2	3		652	0.9
12	84	7	3	1430	5	1	2	2	-20	15.6	7.2	5	3		16	0.9
12	84	7	3	1430	5	1	2	2	-20	15.6	7.2	1	4		300	0.9
12	84	7	3	1430	5	1	2	2	-20	15.6	7.2	5	2		104	0.9
12	84	7	3	1430	5	1	2	2	-20	15.6	7.2	3	2		8	0.9
12	84	7	3	1430	5	1	2	2	-20	15.6	7.2	3	1		20	0.9
12	84	7	3	1430	5	1	2	2	-20	15.6	7.2	5	1		16	0.9
12	84	7	3	1455	5	2	2	2	-45	15.6	7.2	5	3		7	1.0
12	84	7	3	1455	5	2	2	2	-45	15.6	7.2	5	2		18	1.0
12	84	7	3	1455	5	2	2	2	-45	15.6	7.2	5	1		3	1.0
12	84	7	3	1455	5	2	2	2	-45	15.6	7.2	2	3		12	1.0
12	84	7	3	1545	35	1	2	2	-95	14.2	26.6	5	3		1	1.5
12	84	7	3	1550	35	2	2	2	-100	14.2	26.6	5	3		2	1.5
12	84	7	3	1600	34	1	2	2	-110	17.4	9.8	5	3		2	1.6
12	84	7	3	1600	34	1	2	2	-110	17.4	9.8	2	3		1	1.6
12	84	7	3	1610	34	2	2	2	-120	17.4	9.8	5	2		2	1.7
12	84	7	3	1625	20	1	4	2	-135	11.5	29.7	5	3		2	1.9
12	84	7	3	1625	20	1	4	2	-135	11.5	29.7	2	3		107	1.9
12	84	7	3	1625	20	1	4	2	-135	11.5	29.7	1	4		40	1.9
12	84	7	3	1625	20	1	4	2	-135	11.5	29.7	5	2		5	1.9
12	84	7	3	1640	20	2	4	2	-150	11.5	29.7	5	2		20	2.0

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
12	84	7	3	1640	20	2	4	2	-150	11.5	29.7	2	3		137	2.0
12	84	7	3	1640	20	2	4	2	-150	11.5	29.7	1	4		108	2.0
12	84	7	3	1640	20	2	4	2	-150	11.5	29.7	5	1		9	2.0
12	84	7	3	1640	20	2	4	2	-150	11.5	29.7	5	3		4	2.0
12	84	7	3	1710	17	1	1	2	-180	15.2	0.3					2.3
12	84	7	3	1715	16	1	1	2	-185	14.5	0.6	5	3		15	2.3
12	84	7	3	1715	16	1	1	2	-185	14.5	0.6	5	1		1	2.3
12	84	7	3	1715	16	1	1	2	-185	14.5	0.6	5	2		6	2.3
12	84	7	3	1725	15	1	1	2	-195	15.2	0.3					2.4
12	84	7	3	1730	14	1	1	2	-200	14.5	0.6	5	3		1	2.4
12	84	7	3	1732	141	1	1	2	-202	14.5	0.6	5	3		1	2.4
12	84	7	3	1735	151	1	1	2	-205	15.2	0.3					2.5
12	84	7	3	1745	18	1	2	2	-215	14.9	0.3	5	3		4	2.5
12	84	7	3	1750	18	2	2	2	215	14.9	0.3	5	3		3	2.6
12	84	7	3	1750	18	2	2	2	215	14.9	0.3	5	2		2	2.6
12	84	7	3	1750	18	2	2	2	215	14.9	0.3	5	1		1	2.6
12	84	7	3	1800	11	1	1	2	205	14.5	2.9	5	3		30	2.7
12	84	7	3	1810	111	1	2	2	195	14.5	2.4	5	3		15	2.8
12	84	7	3	1810	111	1	2	2	195	14.5	2.4	5	1		4	2.8
12	84	7	3	1810	111	1	2	2	195	14.5	2.4	2	3		16	2.8
12	84	7	3	1810	111	1	2	2	195	14.5	2.4	5	2		21	2.8
12	84	7	3	1820	111	2	2	2	185	14.5	2.4					2.9
12	84	7	4	0720	47	1	4	2	40	13.6	0.4	5	3		33	3.3
12	84	7	4	0730	47	2	4	2	30	13.6	0.4	5	3		3	3.3
12	84	7	4	0735	10	1	4	2	25	13.5	1.5	5	3		13	3.3
12	84	7	4	0735	10	1	4	2	25	13.5	1.5	5	2		3	3.3
12	84	7	4	0740	10	2	4	2	20	13.5	1.5	5	3		6	3.4
12	84	7	4	0740	10	2	4	2	20	13.5	1.5	5	2		10	3.4
12	84	7	4	0740	10	2	4	2	20	13.5	1.5	5	1		2	3.4
12	84	7	4	0750	8	1	2	2	10	13.6	2.4	5	2		57	3.4
12	84	7	4	0750	8	1	2	2	10	13.6	2.4	5	1		5	3.4
12	84	7	4	0750	8	1	2	2	10	13.6	2.4	5	3		11	3.4
12	84	7	4	0800	8	2	2	1	0	13.6	2.4	5	3		3	3.4

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
12	84	7	4	0800	8	2	2	1	0	13.6	2.4	5	2		63	3.4
12	84	7	4	0800	8	2	2	1	0	13.6	2.4	5	1		4	3.4
12	84	7	4	0800	8	2	2	1	0	13.6	2.4	2	3		4	3.4
12	84	7	4	0810	6	1	2	1	-10	13.6	4.4	5	3		38	3.4
12	84	7	4	0810	6	1	2	1	-10	13.6	4.4	5	2		194	3.4
12	84	7	4	0810	6	1	2	1	-10	13.6	4.4	5	1		28	3.4
12	84	7	4	0810	6	1	2	1	-10	13.6	4.4	2	3		15	3.4
12	84	7	4	0825	6	2	2	1	-25	13.6	4.4	5	3		1	3.3
12	84	7	4	0825	6	2	2	1	-25	13.6	4.4	5	2		29	3.3
12	84	7	4	0825	6	2	2	1	-25	13.6	4.4	5	1		4	3.3
12	84	7	4	0825	6	2	2	1	-25	13.6	4.4	2	3		4	3.3
12	84	7	4	1010	31	1	2	1	-130	10.7	30.7					2.7
12	84	7	4	1015	31	2	2	1	-135	10.7	30.7					2.7
12	84	7	4	1030	322	1	2	1	-150	12.0	30.7					2.6
12	84	7	4	1040	322	2	2	1	-160	12.0	30.7					2.6
12	84	7	4	1100	32	1	2	1	-180	11.9	29.6					2.5
12	84	7	4	1105	32	2	2	1	-185	11.9	29.6	1	4		1	2.5
12	84	7	4	1130	328	1	2	1	185	11.0	29.2					2.3
12	84	7	4	1135	328	2	2	1	180	11.0	29.2					2.2
12	84	7	4	1200	30	1	2	1	155	11.3	30.2					2.1
12	84	7	4	1205	30	2	2	1	150	11.3	30.2					2.1
12	84	7	4	1225	24	1	2	1	130	11.4	30.8	5	2		97	2.0
12	84	7	4	1225	24	1	2	1	130	11.4	30.8	5	1		4	2.0
12	84	7	4	1225	24	1	2	1	130	11.4	30.8	1	4		75	2.0
12	84	7	4	1225	24	1	2	1	130	11.4	30.8	2	3		80	2.0
12	84	7	4	1225	24	1	2	1	130	11.4	30.8	4	3		11	2.0
12	84	7	4	1245	24	2	2	1	110	11.4	30.8					1.9
12	84	7	4	1255	241	1	2	1	100	13.3	26.1	5	2		28	1.8
12	84	7	4	1255	241	1	2	1	100	13.3	26.1	5	1		4	1.8
12	84	7	4	1255	241	1	2	1	100	13.3	26.1	2	3		9	1.8
12	84	7	4	1255	241	1	2	1	100	13.3	26.1	1	4		6	1.8
12	84	7	4	1305	241	2	2	1	90	13.3	26.1	5	2		54	1.7
12	84	7	4	1305	241	2	2	1	90	13.3	26.1	5	1		4	1.7

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
12	84	7	4	1305	241	2	2	1	90	13.3	26.1	1	4		12	1.7
12	84	7	4	1305	241	2	2	1	90	13.3	26.1	2	3		3	1.7
12	84	7	4	1330	25	1	2	1	65	11.7	30.0					1.6
12	84	7	4	1340	25	2	2	1	55	11.7	30.0					1.5
12	84	7	4	1355	23	1	2	1	40	11.7	30.2					1.5
12	84	7	4	1405	23	2	2	1	30	11.7	30.2					1.4
12	84	7	4	1435	27	1	2	2	0	13.5	28.0	2	3		54	1.3
12	84	7	4	1435	27	1	2	2	0	13.5	28.0	1	4		200	1.3
12	84	7	4	1435	27	1	2	2	0	13.5	28.0	4	3		6	1.3
12	84	7	4	1500	27	2	2	2	-25	13.5	28.0	5	2		2	1.4
12	84	7	4	1500	27	2	2	2	-25	13.5	28.0	3	2		1	1.4
12	84	7	4	1500	27	2	2	2	-25	13.5	28.0	1	4		12	1.4
12	84	7	4	1500	27	2	2	2	-25	13.5	28.0	2	3		2	1.4
12	84	7	4	1500	27	2	2	2	-25	13.5	28.0	5	3		1	1.4
12	84	7	4	1530	28	1	2	2	-55	11.7	30.3					1.6
12	84	7	4	1540	28	2	2	2	-65	11.7	30.3	5	3		8	1.7
12	84	7	4	1540	28	2	2	2	-65	11.7	30.3	1	4		55	1.7
12	84	7	4	1540	28	2	2	2	-65	11.7	30.3	2	3		5	1.7
12	84	7	4	1600	292	1	2	2	-85	15.3	28.4					1.9
12	84	7	4	1605	292	2	2	2	-90	15.3	28.4	5	2		5	2.0
12	84	7	4	1605	292	2	2	2	-90	15.3	28.4	1	4		5	2.0
12	84	7	4	1605	292	2	2	2	-90	15.3	28.4	2	3		3	2.0
12	84	7	5	0735	21	1	2	2	-120	12.4	28.8	5	1		2	2.7
12	84	7	5	0735	21	1	2	2	-120	12.4	28.8	3	2		14	2.7
12	84	7	5	0735	21	1	2	2	-120	12.4	28.8	1	4		7	2.7
12	84	7	5	0735	21	1	2	2	-120	12.4	28.8	2	3		7	2.7
12	84	7	5	0735	21	1	2	2	-120	12.4	28.8	5	2		11	2.7
12	84	7	5	0735	21	1	2	2	-120	12.4	28.8	3	1		3	2.7
12	84	7	5	0745	21	2	2	2	125	12.4	28.8	5	1		5	2.8
12	84	7	5	0745	21	2	2	2	125	12.4	28.8	5	2		21	2.8
12	84	7	5	0745	21	2	2	2	125	12.4	28.8	5	3		3	2.8
12	84	7	5	0745	21	2	2	2	125	12.4	28.8	1	4		5	2.8
12	84	7	5	0745	21	2	2	2	125	12.4	28.8	2	3		17	2.8

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
12	84	7	5	0745	21	2	2	2	125	12.4	28.8	3	2		1	2.8
12	84	7	5	0815	20	3	4	2	95	11.1	29.0	1	4		91	2.9
12	84	7	5	0815	20	3	4	2	95	11.1	29.0	5	2		13	2.9
12	84	7	5	0815	20	3	4	2	95	11.1	29.0	2	3		51	2.9
12	84	7	5	0815	20	3	4	2	95	11.1	29.0	5	1		1	2.9
12	84	7	5	0815	20	3	4	2	95	11.1	29.0	5	3		2	2.9
12	84	7	5	0815	20	3	4	2	95	11.1	29.0	4	3		1	2.9
12	84	7	5	0830	20	4	4	2	80	11.1	29.0					3.0
12	84	7	5	0935	37	3	4	2	75	13.9	5.2	5	1		2	3.1
12	84	7	5	0935	37	3	4	2	75	13.9	5.2	3	1		1	3.1
12	84	7	5	0935	37	3	4	2	75	13.9	5.2	5	2		4	3.1
12	84	7	5	0935	37	3	4	2	75	13.9	5.2	5	3		2	3.1
12	84	7	5	0940	37	4	4	2	70	13.9	5.2					3.2
12	84	7	5	1005	1	3	4	1	-15	14.1	1.7	5	3		7	3.2
12	84	7	5	1005	1	3	4	1	-15	14.1	1.7	5	2		7	3.2
12	84	7	5	1005	1	3	4	1	-15	14.1	1.7	5	1		1	3.2
12	84	7	5	1005	1	3	4	1	-15	14.1	1.7	3	2		1	3.2
12	84	7	5	1010	1	4	4	1	-20	14.1	1.7	5	3		5	3.1
12	84	7	5	1010	1	4	4	1	-20	14.1	1.7	5	2		4	3.1
12	84	7	5	1020	4	3	4	1	-30			5	3		73	3.1
12	84	7	5	1020	4	3	4	1	-30			5	1		2	3.1
12	84	7	5	1020	4	3	4	1	-30			5	2		38	3.1
12	84	7	5	1020	4	3	4	1	-30			1	4		11	3.1
12	84	7	5	1020	4	3	4	1	-30			3	3	3	3	3.1
12	84	7	5	1020	4	3	4	1	-30			3	1		2	3.1
12	84	7	5	1020	4	3	4	1	-30			3	2		14	3.1
12	84	7	5	1020	4	3	4	1	-30			2	3		5	3.1
12	84	7	5	1030	4	4	4	1	-40			5	3		12	3.0
12	84	7	5	1030	4	4	4	1	-40			3	2		7	3.0
12	84	7	5	1030	4	4	4	1	-40			2	3		7	3.0
12	84	7	5	1030	4	4	4	1	-40			5	2		20	3.0
12	84	7	5	1030	4	4	4	1	-40			1	4		6	3.0
12	84	7	5	1045	7	3	4	1	-55			5	3		11	3.0

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
12	84	7	5	1045	7	3	4	1	-55			5	1		1	3.0
12	84	7	5	1045	7	3	4	1	-55			5	2		11	3.0
12	84	7	5	1050	7	4	4	1	-60			5	3		10	2.9
12	84	7	5	1050	7	4	4	1	-60			5	2		12	2.9
12	84	7	5	1050	7	4	4	1	-60			2	3		1	2.9
12	84	7	5	1050	7	4	4	1	-60			6	3		1	2.9
12	84	7	5	1055	10	3	4	1	-65			5	3		26	2.9
12	84	7	5	1055	10	3	4	1	-65			2	3		1	2.9
12	84	7	5	1100	10	4	4	1	-70							2.9
12	84	7	5	1105	47	3	4	1	-75			5	3		12	2.9
12	84	7	5	1110	47	4	4	1	-80			5	3		3	2.9
12	84	7	5	1110	47	4	4	1	-80			3	3	3	1	2.9
13	84	7	17	1340	7	1	4	2	-5	17.8	1.6	5	2		7	1.3
13	84	7	17	1340	7	1	4	2	-5	17.8	1.6	5	3		9	1.3
13	84	7	17	1345	7	2	4	2	-10	17.8	1.6	5	3		7	1.3
13	84	7	17	1345	7	2	4	2	-10	17.8	1.6	5	2		7	1.3
13	84	7	17	1500	1	1	4	2	-85	17.9	0.6	5	2		4	1.8
13	84	7	17	1500	1	1	4	2	-85	17.9	0.6	3	2		1	1.8
13	84	7	17	1505	1	2	4	2	-90	17.9	0.6	5	3		6	1.8
13	84	7	17	1510	3	1	4	2	-95	17.7	2.7					1.8
13	84	7	17	1515	3	2	4	2	-100	17.7	2.7					1.9
13	84	7	17	1520	2	1	4	2	-105	18.2	1.4	5	3		5	1.9
13	84	7	17	1525	2	2	4	2	-110	18.2	1.4					2.0
13	84	7	17	1535	37	1	2	2	-120	17.9	5.3					2.1
13	84	7	17	1540	37	2	2	2	-125	17.9	5.3					2.2
13	84	7	17	1600	11	1	1	2	-145	20.7	3.0	5	3		21	2.3
13	84	7	17	1615	111	1	2	2	-160	18.4	2.0					2.4
13	84	7	17	1620	111	2	2	2	-165	18.4	2.0	5	3		22	2.4
13	84	7	17	1630	151	1	1	2	-175	18.2	0.2					2.5
13	84	7	17	1635	141	1	1	2	-180	19.0	0.4	5	3		4	2.5
13	84	7	17	1640	14	1	1	2	-185	19.0	0.4	5	3		26	2.5
13	84	7	17	1650	15	1	1	2	-195	18.2	0.2	5	3		45	2.6
13	84	7	17	1655	17	1	1	2	-200	18.2	0.2	5	3		29	2.6

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
13	84	7	17	1705	18	1	2	2	-210	18.0	0.5	5	3		9	2.7
13	84	7	17	1710	18	2	2	2	-215	18.0	0.5	5	3		17	2.7
13	84	7	18	0835	30	1	2	1	-50	10.7	30.2					3.0
13	84	7	18	0845	30	2	2	1	-60	10.7	30.2					3.0
13	84	7	18	0920	31	1	2	1	-95	11.2	29.4					2.9
13	84	7	18	0925	31	2	2	1	-100	11.2	29.4					2.8
13	84	7	18	1000	24	1	2	1	-135	11.6	30.0					2.6
13	84	7	18	1005	24	2	2	1	-140	11.6	30.0					2.6
13	84	7	18	1015	241	1	2	1	-150	13.5	29.9	5	4		10	2.6
13	84	7	18	1015	241	1	2	1	-150	13.5	29.9	1	4		5	2.6
13	84	7	18	1015	241	1	2	1	-150	13.5	29.9	4	3		1	2.6
13	84	7	18	1025	241	2	2	1	-160	13.5	29.9	5	4		62	2.6
13	84	7	18	1025	241	2	2	1	-160	13.5	29.9	4	3		2	2.6
13	84	7	18	1025	241	2	2	1	-160	13.5	29.9	1	4		4	2.6
13	84	7	18	1025	241	2	2	1	-160	13.5	29.9	2	3		2	2.6
13	84	7	18	1025	241	2	2	1	-160	13.5	29.9	6	3		1	2.6
13	84	7	18	1050	25	1	2	1	-185	12.2	29.8					2.5
13	84	7	18	1055	25	2	2	1	-190	12.2	29.8	5	3		9	2.5
13	84	7	18	1205	23	1	2	1	120	11.8	30.3	5	3		1	2.1
13	84	7	18	1210	23	2	2	1	115	11.8	30.3					2.1
13	84	7	18	1230	26	1	2	1	95	12.5	29.8					2.0
13	84	7	18	1240	26	2	2	1	85	12.5	29.8					2.0
13	84	7	18	1300	27	1	2	1	65	13.5	29.6	5	3		8	1.9
13	84	7	18	1300	27	1	2	1	65	13.5	29.6	2	3		2	1.9
13	84	7	18	1305	27	2	2	1	60	13.5	29.6	2	3		2	1.9
13	84	7	18	1305	27	2	2	1	60	13.5	29.6	1	4		1	1.9
13	84	7	18	1335	28	1	2	1	30	13.8	29.0	5	1		1	1.8
13	84	7	18	1335	28	1	2	1	30	13.8	29.0	1	4		2	1.8
13	84	7	18	1335	28	1	2	1	30	13.8	29.0	2	3		8	1.8
13	84	7	18	1335	28	1	2	1	30	13.8	29.0	5	4		3	1.8
13	84	7	18	1335	28	1	2	1	30	13.8	29.0	5	3		1	1.8
13	84	7	18	1340	28	2	2	1	25	13.8	29.0					1.8
13	84	7	18	1400	292	1	2	1	5	12.9	28.6	5	3		1	1.6

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
13	84	7	18	1405	292	2	2	1	0	12.9	28.6	5	2		1	1.6
13	84	7	18	1435	29	1	2	2	-30	12.7	28.6					1.7
13	84	7	18	1440	29	2	2	2	-35	12.7	28.6					1.7
13	84	7	18	1455	212	1	2	2	-50	16.2	27.6	2	3		1	1.7
13	84	7	18	1500	212	2	2	2	-55	16.2	27.6	2	3		9	1.9
13	84	7	18	1500	212	2	2	2	-55	16.2	27.6	5	3		5	1.9
13	84	7	18	1535	21	1	2	2	-90	12.9	28.9	3	2		1	2.0
13	84	7	18	1535	21	1	2	2	-90	12.9	28.9	5	3		15	2.0
13	84	7	18	1535	21	1	2	2	-90	12.9	28.9	5	2		57	2.0
13	84	7	18	1535	21	1	2	2	-90	12.9	28.9	2	3		7	2.0
13	84	7	18	1535	21	1	2	2	-90	12.9	28.9	5	1		6	2.0
13	84	7	18	1535	21	1	2	2	-90	12.9	28.9	1	4		2	2.0
13	84	7	18	1550	21	2	2	2	-105	12.9	28.9	5	3		3	2.1
13	84	7	18	1550	21	2	2	2	-105	12.9	28.9	5	2		2	2.1
13	84	7	18	1615	20	1	2	2	-130	14.1	28.1					2.1
13	84	7	18	1620	20	2	2	2	-135	14.1	28.1					2.3
13	84	7	18	1635	22	1	2	2	-150	12.6	29.5					2.4
13	84	7	18	1645	22	2	2	2	-160	12.6	29.5					2.4
13	84	7	18	1655	34	1	2	2	-170	12.3	29.9					2.5
13	84	7	18	1700	34	2	2	2	-175	12.3	29.9	5	3		1	2.6
13	84	7	18	1730	4	1	4	2	-205	16.2	0.6	3	3	3	1	2.7
13	84	7	18	1730	4	1	4	2	-205	16.2	0.6	5	3		33	2.7
13	84	7	18	1730	4	1	4	2	-205	16.2	0.6	3	1		1	2.7
13	84	7	18	1730	4	1	4	2	-205	16.2	0.6	5	2		20	2.7
13	84	7	18	1730	4	1	4	2	-205	16.2	0.6	5	1		1	2.7
13	84	7	18	1730	4	1	4	2	-205	16.2	0.6	3	2		1	2.7
13	84	7	18	1730	4	1	4	2	-205	16.2	0.6	2	3		1	2.7
13	84	7	18	1740	4	2	4	2	-215	16.2	0.6	5	3		6	2.8
13	84	7	18	1740	4	2	4	2	-215	16.2	0.6	5	2		1	2.8
13	84	7	19	0900	47	1	2	1	-10	16.4	0.2					3.1
13	84	7	19	0905	47	2	2	1	-15	16.4	0.2					3.1
13	84	7	19	0910	10	1	2	1	-20	15.9	0.6	5	3		2	3.1
13	84	7	19	0915	10	2	2	1	-25	15.9	0.6	5	3		1	3.1

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
13	84	7	19	0925	8	1	2	1	-35	16.7	1.7	5	3		1	3.1
13	84	7	19	0930	8	2	2	1	-40	16.7	1.7	5	2		3	3.0
13	84	7	19	0930	8	2	2	1	-40	16.7	1.7	5	1		1	3.0
13	84	7	19	0935	7	3	4	1	-45	16.0	2.0	5	3		6	3.0
13	84	7	19	0940	7	4	4	1	-50	16.0	2.0	5	3		12	3.0
13	84	7	19	0940	7	4	4	1	-50	16.0	2.0	3	2		1	3.0
13	84	7	19	0940	7	4	4	1	-50	16.0	2.0	6	3		1	3.0
13	84	7	19	0945	6	1	2	1	-55	15.7	2.6	5	3		73	3.0
13	84	7	19	0945	6	1	2	1	-55	15.7	2.6	5	1		2	3.0
13	84	7	19	0955	6	2	2	1	-65	15.7	2.6	5	3		37	2.9
13	84	7	19	1005	4	3	4	1	-75	15.0	4.9	5	3		38	2.9
13	84	7	19	1005	4	3	4	1	-75	15.0	4.9	5	2		6	2.9
13	84	7	19	1005	4	3	4	1	-75	15.0	4.9	3	2		2	2.9
13	84	7	19	1005	4	3	4	1	-75	15.0	4.9	3	1		1	2.9
13	84	7	19	1010	4	4	4	1	-80	15.0	4.9	5	3		20	2.9
13	84	7	19	1010	4	4	4	1	-80	15.0	4.9	3	2		1	2.9
13	84	7	19	1010	4	4	4	1	-80	15.0	4.9	5	2		9	2.9
13	84	7	19	1020	1	3	4	1	-90	16.0	3.7	5	3		9	2.8
13	84	7	19	1020	1	3	4	1	-90	16.0	3.7	5	2		5	2.8
13	84	7	19	1025	1	4	4	1	-95	16.0	3.7					2.8
13	84	7	19	1030	3	3	4	1	-100	16.5	3.3					2.8
13	84	7	19	1035	3	4	4	1	-105	16.5	3.3					2.8
13	84	7	19	1040	2	3	4	1	-110	16.0	4.8					2.8
13	84	7	19	1045	2	4	4	1	-115	16.0	4.8					2.8
14	84	7	31	1245	10	1	2	1	15	21.3	0.9	5	3		1	0.9
14	84	7	31	1255	10	2	2	1	5	21.3	0.9	5	3		94	0.9
14	84	7	31	1305	7	1	4	2	-5	17.6	1.9	5	3		6	0.8
14	84	7	31	1305	7	1	4	2	-5	17.6	1.9	3	2		1	0.8
14	84	7	31	1305	7	1	4	2	-5	17.6	1.9	5	2		4	0.8
14	84	7	31	1305	7	1	4	2	-5	17.6	1.9	5	1		1	0.8
14	84	7	31	1315	7	2	4	2	-15	17.6	1.9	5	3		16	0.9
14	84	7	31	1315	7	2	4	2	-15	17.6	1.9	5	2		2	0.9
14	84	7	31	1315	7	2	4	2	-15	17.6	1.9	5	1		1	0.9

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
14	84	7	31	1330	6	1	2	2	-30	17.2	1.1	5	3		18	1.0
14	84	7	31	1330	6	1	2	2	-30	17.2	1.1	5	2		11	1.0
14	84	7	31	1335	6	2	2	2	-35	17.2	1.1					1.0
14	84	7	31	1345	4	1	4	2	-45	16.7	0.3					1.1
14	84	7	31	1350	4	2	4	2	-50	16.7	0.3					1.1
14	84	7	31	1355	1	1	4	2	-55	18.2	1.4					1.2
14	84	7	31	1400	1	2	4	2	-60	18.2	1.4	5	3		1	1.3
14	84	7	31	1410	2	1	2	2	-70	18.6	1.9	5	3		2	1.4
14	84	7	31	1415	2	2	2	2	-75	18.6	1.9	5	3		1	1.4
14	84	7	31	1420	3	1	2	2	-80	18.8	4.3	5	1		1	1.5
14	84	7	31	1420	3	1	2	2	-80	18.8	4.3	7	3		1	1.5
14	84	7	31	1425	3	2	2	2	-85	18.8	4.3					1.5
14	84	7	31	1440	37	1	2	2	-100	20.6	4.2					1.7
14	84	7	31	1445	37	2	2	2	-105	20.6	4.2					1.7
14	84	7	31	1510	20	1	2	2	-130	14.9	25.7					1.9
14	84	7	31	1520	20	2	2	2	-140	14.9	25.7					2.0
14	84	7	31	1550	21	1	2	2	-170	16.4	28.1					2.3
14	84	7	31	1555	21	2	2	2	-175	16.4	28.1	5	3		9	2.3
14	84	7	31	1555	21	2	2	2	-175	16.4	28.1	5	2		12	2.3
14	84	7	31	1555	21	2	2	2	-175	16.4	28.1	3	2		1	2.3
14	84	7	31	1620	111	1	2	2	-200	18.7	2.4	5	3		4	2.6
14	84	7	31	1625	111	2	2	2	205	18.7	2.4					2.6
14	84	7	31	1630	11	1	1	2	200	17.7	2.6	5	3		3	2.7
14	84	7	31	1645	18	1	2	2	185	19.4	0.6					2.8
14	84	7	31	1655	18	2	2	2	175	19.4	0.6					2.9
14	84	7	31	1705	47	1	2	2	165	17.2	0.3					3.0
14	84	7	31	1710	47	2	2	2	160	17.2	0.3					3.0
14	84	7	31	1720	8	1	2	2	150	17.2	0.5					3.1
14	84	7	31	1725	8	2	2	2	145	17.2	0.5	5	3		4	3.1
14	84	8	1	0830	32	1	2	1	-90	11.4	30.4					3.2
14	84	8	1	0835	32	2	2	1	-95	11.4	30.4					3.1
14	84	8	1	0920	31	1	2	1	-140	11.8	29.6					2.8
14	84	8	1	0925	31	2	2	1	-145	11.8	29.6					2.8

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
14	84	8	1	1010	24	1	2	1	-190	12.3	30.2					2.5
14	84	8	1	1015	24	2	2	1	-195	12.3	30.2					2.5
14	84	8	1	1030	241	1	2	1	185	12.8	30.1	5	3		5	2.4
14	84	8	1	1035	241	2	2	1	180	12.8	30.1	5	3		1	2.4
14	84	8	1	1055	25	1	2	1	160	11.9	30.0					2.2
14	84	8	1	1100	25	2	2	1	155	11.9	30.0	6	3		1	2.2
14	84	8	1	1115	26	1	2	1	140	12.2	30.3					2.1
14	84	8	1	1120	26	2	2	1	135	12.2	30.3					2.1
14	84	8	1	1140	23	1	2	1	115	12.6	30.5	5	3		36	1.9
14	84	8	1	1145	23	2	2	1	110	12.6	30.5					1.9
14	84	8	1	1335	27	1	2	1	0	14.0	29.3					1.3
14	84	8	1	1345	27	2	2	2	-10	14.0	29.3					1.4
14	84	8	1	1420	7	3	4	2	-45	17.5	1.6	5	1		7	1.6
14	84	8	1	1420	7	3	4	2	-45	17.5	1.6	5	4		36	1.6
14	84	8	1	1420	7	3	4	2	-45	17.5	1.6	5	3		2	1.6
14	84	8	1	1430	7	4	4	2	-55	17.5	1.6	5	4		3	1.7
14	84	8	1	1430	7	4	4	2	-55	17.5	1.6	5	3		15	1.7
14	84	8	1	1500	4	3	4	2	-85	16.9	0.1					2.0
14	84	8	1	1505	4	4	4	2	-90	16.9	0.1	5	3		14	2.0
14	84	8	1	1515	1	3	4	2	-100	18.2	0.4	5	3		9	2.1
14	84	8	1	1520	1	4	4	2	-105	18.2	0.4	5	3		1	2.1
14	84	8	1	1545	5	1	2	2	-130	18.7	2.2	5	3		10	2.3
14	84	8	1	1550	5	2	2	2	-135	18.7	2.2	5	3		4	2.3
14	84	8	1	1610	15	1	1	2	-155	18.5	0.0					2.5
14	84	8	1	1615	17	1	1	2	-160	18.5	0.0					2.5
14	84	8	1	1620	16	1	1	2	-165	19.7	0.0					2.6
14	84	8	1	1625	14	1	1	2	-170	19.7	0.0					2.6
14	84	8	1	1630	141	1	1	2	-175	19.7	0.0					2.7
14	84	8	1	1635	151	1	1	2	-180	18.5	0.0					2.7
14	84	8	1	1700	34	1	2	2	-205	19.1	6.2					2.9
14	84	8	1	1710	34	2	2	2	200	19.1	6.2					2.9
14	84	8	2	0830	29	1	2	1	-10	10.6	30.4					3.5
14	84	8	2	0835	29	2	2	1	-15	10.6	30.4					3.4

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
14	84	8	2	0900	292	1	2	1	-40	11.4	30.5					3.3
14	84	8	2	0905	292	2	2	1	-45	11.4	30.5					3.3
14	84	8	2	0920	28	1	2	1	-60	11.1	30.6					3.2
14	84	8	2	0925	28	2	2	1	-65	11.1	30.6	5	3		3	3.2
14	84	8	2	1000	22	1	2	1	-100	12.2	26.6	5	2		5	3.0
14	84	8	2	1000	22	1	2	1	-100	12.2	26.6	2	3		1	3.0
14	84	8	2	1005	22	2	2	1	-105	12.2	26.6	5	3		31	3.0
15	84	8	14	1130	10	1	4	1	60	17.3	1.6	6	3		1	1.7
15	84	8	14	1130	10	1	4	1	60	17.3	1.6	5	4		3	1.7
15	84	8	14	1135	10	2	4	1	55	17.3	1.6	5	3		8	1.7
15	84	8	14	1135	10	2	4	1	55	17.3	1.6	6	3		2	1.7
15	84	8	14	1145	7	1	6	1	45	16.6	1.8	5	1		2	1.6
15	84	8	14	1145	7	1	6	1	45	16.6	1.8	5	4		16	1.6
15	84	8	14	1150	7	2	6	1	40	16.6	1.8	5	4		6	1.5
15	84	8	14	1150	7	2	6	1	40	16.6	1.8	6	3		1	1.5
15	84	8	14	1150	7	2	6	1	40	16.6	1.8	5	3		1	1.5
15	84	8	14	1150	7	2	6	1	40	16.6	1.8	5	2		2	1.5
15	84	8	14	1220	8	1	2	1	10	18.1	2.2	3	3	3	1	1.4
15	84	8	14	1220	8	1	2	1	10	18.1	2.2	5	4		14	1.4
15	84	8	14	1220	8	1	2	1	10	18.1	2.2	5	1		1	1.4
15	84	8	14	1225	8	2	2	1	5	18.1	2.2	5	1		1	1.4
15	84	8	14	1225	8	2	2	1	5	18.1	2.2	5	4		14	1.4
15	84	8	14	1240	6	1	2	2	-10	16.3	1.4	5	4		33	1.4
15	84	8	14	1245	6	2	2	2	-15	16.3	1.4	5	4		46	1.4
15	84	8	14	1310	21	1	4	2	-40	13.9	28.9	5	1		1	1.4
15	84	8	14	1310	21	1	4	2	-40	13.9	28.9	2	3		4	1.5
15	84	8	14	1310	21	1	4	2	-40	13.9	28.9	5	4		15	1.5
15	84	8	14	1320	21	2	4	2	-50	13.9	28.9	5	4		9	1.6
15	84	8	14	1340	17	1	2	2	-70	15.8	0.8					1.7
15	84	8	14	1345	16	1	2	2	-75	15.6	0.7					1.8
15	84	8	14	1350	15	1	2	2	-80	15.8	0.8					1.9
15	84	8	14	1400	14	1	2	2	-90	15.6	0.7					1.9
15	84	8	14	1410	141	1	2	2	-100	15.6	0.7					2.0

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
15	84	8	14	1415	151	1	2	2	-105	15.8	0.8					2.0
15	84	8	14	1425	18	1	4	2	-115	16.1	0.9	5	4		3	2.1
15	84	8	14	1430	18	2	4	2	-120	16.1	0.9					2.1
15	84	8	14	1445	1	1	4	2	-135	16.1	1.0	5	4		18	2.2
15	84	8	14	1450	1	2	4	2	-140	16.1	1.0	5	4		1	2.3
15	84	8	14	1500	2	1	2	2	-150	16.4	1.1	5	4		7	2.3
15	84	8	14	1505	2	2	2	2	-155	16.4	1.1	5	4		2	2.3
15	84	8	14	1510	3	1	2	2	-160	16.3	1.5					2.4
15	84	8	14	1515	3	2	2	2	-165	16.3	1.5	5	4		1	2.4
15	84	8	14	1525	37	1	2	2	-175	17.9	3.1					2.5
15	84	8	14	1530	37	2	2	2	235	17.9	3.1					2.5
15	84	8	14	1545	11	1	2	2	220	16.3	1.1	5	4		7	2.6
15	84	8	14	1545	11	1	2	2	220	16.3	1.1	6	3		2	2.6
15	84	8	14	1600	111	1	2	2	205	15.8	1.2	5	4		4	2.7
15	84	8	14	1605	111	2	2	2	200	15.8	1.2	5	4		2	2.7
15	84	8	14	1610	4	1	4	2	195	15.5	0.9	5	4		2	2.7
15	84	8	14	1610	4	1	4	2	195	15.5	0.9	3	3	3	1	2.7
15	84	8	14	1615	4	2	4	2	190	15.5	0.9	5	1		2	2.8
15	84	8	14	1615	4	2	4	2	190	15.5	0.9	5	3		2	2.8
15	84	8	14	1615	4	2	4	2	190	15.5	0.9	5	2		46	2.8
15	84	8	14	1615	4	2	4	2	190	15.5	0.9	3	1		3	2.8
15	84	8	14	1625	20	1	2	2	180	11.0	30.2	3	4	4	2	2.8
15	84	8	14	1630	20	2	2	2	175	11.0	30.2					2.9
15	84	8	14	1655	7	3	6	2	150	15.8	2.1	5	4		3	2.9
15	84	8	14	1655	7	3	6	2	150	15.8	2.1	6	3		1	3.1
15	84	8	14	1655	7	3	6	2	150	15.8	2.1	5	1		1	3.1
15	84	8	14	1700	7	4	6	2	145	15.8	2.1	5	4		5	3.1
15	84	8	14	1705	47	1	4	2	140	15.1	0.7	5	3		2	3.1
15	84	8	14	1710	47	2	4	2	135	15.1	0.7					3.2
15	84	8	15	0820	31	1	2	1	-90	10.8	31.6					3.1
15	84	8	15	0830	31	2	2	1	-100	10.8	31.6					3.0
15	84	8	15	0910	322	1	2	1	-140	11.2	31.1					2.8

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
15	84	8	15	0915	322	2	2	1	-145	11.2	31.1					2.8
15	84	8	15	0925	32	1	2	1	-155	11.7	30.6					2.7
15	84	8	15	0930	32	2	2	1	-160	11.7	30.6					2.7
15	84	8	15	0950	328	1	2	1	-180	10.8	31.1					2.6
15	84	8	15	0955	328	2	2	1	-185	10.8	31.1					2.6
15	84	8	15	1020	30	1	2	1	165	10.8	31.1					2.5
15	84	8	15	1025	30	2	2	1	160	10.8	31.1					2.4
15	84	8	15	1045	24	1	2	1	140	12.9	31.1	5	1		1	2.3
15	84	8	15	1050	24	2	2	1	135	12.9	31.1					2.3
15	84	8	15	1100	241	1	2	1	125	13.2	30.5	5	4		3	2.2
15	84	8	15	1105	241	2	2	1	120	13.2	30.5					2.2
15	84	8	15	1125	25	1	2	1	100	11.6	31.4					2.2
15	84	8	15	1130	25	2	2	1	95	11.6	31.4					2.1
15	84	8	15	1225	23	1	2	1	40	12.0	30.9					1.9
15	84	8	15	1230	23	2	2	1	35	12.0	30.9					1.8
15	84	8	15	1255	27	1	2	1	10	13.2	29.6					1.7
15	84	8	15	1300	27	2	2	1	5	13.2	29.6					1.7
15	84	8	15	1330	34	1	2	2	-25	18.7	3.5					1.7
15	84	8	15	1335	34	2	2	2	-30	18.7	3.5					1.7
15	84	8	15	1355	17	2	2	2	-50	17.8	0.7					1.8
15	84	8	15	1400	16	2	2	2	-55	-9	-9					1.9
15	84	8	15	1405	15	2	2	2	-60	17.8	0.7					1.9
15	84	8	15	1410	14	2	2	2	-65	-9	-9					1.9
15	84	8	15	1415	141	2	2	2	-70	-9	-9					2.0
15	84	8	15	1420	151	2	2	2	-75	17.8	0.7					2.0
15	84	8	15	1425	18	3	4	2	-80	18.2	0.9	5	4		1	2.1
15	84	8	15	1430	18	4	4	2	-85	18.2	0.9					2.1
15	84	8	15	1440	11	2	2	2	-95	18.4	1.7	5	4		1	2.1
15	84	8	15	1500	28	1	2	2	-115	12.0	30.9					2.2
15	84	8	15	1505	28	2	2	2	-120	12.0	30.9					2.3
15	84	8	15	1520	292	1	2	2	-135	15.6	28.8					2.3
15	84	8	15	1525	292	2	2	2	-140	15.6	28.8	5	4		2	2.4
15	84	8	15	1530	21	3	4	2	-145	15.3	28.6	2	3		1	2.4

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
15	84	8	15	1535	21	4	4	2	-150	15.3	28.6	1	4		1	2.5
15	84	8	15	1535	21	4	4	2	-150	15.3	28.6	5	4		2	2.5
15	84	8	15	1535	21	4	4	2	-150	15.3	28.6	2	3		2	2.5
15	84	8	16	0900	1	3	4	1	-80	15.3	3.6	5	4		8	3.1
15	84	8	16	0905	1	4	4	1	-85	15.3	3.6	5	4		2	3.1
15	84	8	16	0910	4	3	4	1	-90	15.3	6.6	3	4		5	3.1
15	84	8	16	0910	4	3	4	1	-90	15.3	6.6	3	1	5	1	3.1
15	84	8	16	0910	4	3	4	1	-90	15.3	6.6	5	4		71	3.1
15	84	8	16	0910	4	3	4	1	-90	15.3	6.6	5	1		1	3.1
15	84	8	16	0910	4	3	4	1	-90	15.3	6.6	3	3	3	1	3.1
15	84	8	16	0920	4	4	4	1	-100	15.3	6.6	5	4		6	3.0
15	84	8	16	0930	47	3	4	1	-110	16.7	0.8					3.0
15	84	8	16	0935	47	4	4	1	-115	16.7	0.8					3.0
15	84	8	16	0940	10	3	4	1	-120	16.4	0.9					2.9
15	84	8	16	0945	10	4	4	1	-125	16.4	0.9					2.9
15	84	8	16	0950	7	5	6	1	-130	16.1	1.5	5	1		1	2.9
15	84	8	16	0950	7	5	6	1	-130	16.1	1.5	5	4		28	2.9
15	84	8	16	0955	7	6	6	1	-135	16.1	1.5	5	1		1	2.8
15	84	8	16	0955	7	6	6	1	-135	16.1	1.5	5	4		23	2.8
16	84	8	28	1230	7	1	6	2	-20	16.3	2.3	5	4		27	1.1
16	84	8	28	1230	7	1	6	2	-20	16.3	2.3	5	1		1	1.1
16	84	8	28	1235	7	2	6	2	-25	16.3	2.3	5	4		16	1.2
16	84	8	28	1235	7	2	6	2	-25	16.3	2.3	5	1		1	1.2
16	84	8	28	1255	6	1	2	2	-45	15.8	1.4	5	4		26	1.3
16	84	8	28	1300	6	2	2	2	-50	15.8	1.4	5	4		4	1.4
16	84	8	28	1310	4	1	6	2	-60	15.8	1.9	5	4		10	1.5
16	84	8	28	1315	4	2	6	2	-65	15.8	1.9	5	4		2	1.5
16	84	8	28	1325	5	1	2	2	-75	15.8	3.2	5	4		56	1.6
16	84	8	28	1325	5	1	2	2	-75	15.8	3.2	5	1		2	1.6
16	84	8	28	1325	5	1	2	2	-75	15.8	3.2	2	3		2	1.6
16	84	8	28	1325	5	1	2	2	-75	15.8	3.2	3	4	5	2	1.6
16	84	8	28	1340	5	2	2	2	-90	15.8	3.2	5	4		8	1.8
16	84	8	28	1340	5	2	2	2	-90	15.8	3.2	5	1		1	1.8

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
16	84	8	28	1350	35	1	2	2	-100	11.2	29.1					1.9
16	84	8	28	1355	35	2	2	2	-105	11.2	29.1	5	4		1	1.9
16	84	8	28	1405	34	1	2	2	-115	12.2	27.1					2.0
16	84	8	28	1410	34	2	2	2	-120	12.2	27.1					2.1
16	84	8	28	1430	1	1	6	2	-140	15.7	1.6	5	4		19	2.2
16	84	8	28	1435	1	2	6	2	-145	15.7	1.6	3	3	3	1	2.2
16	84	8	28	1435	1	2	6	2	-145	15.7	1.6	5	4		2	2.2
16	84	8	28	1455	17	1	2	2	-165	16.1	0.9					2.4
16	84	8	28	1500	15	1	2	2	-170	16.1	0.9	5	4		1	2.5
16	84	8	28	1505	14	1	2	2	-175	15.9	1.1	5	4		1	2.5
16	84	8	28	1510	141	1	2	2	-180	15.9	1.1					2.6
16	84	8	28	1515	151	1	2	2	-185	16.1	0.9					2.6
16	84	8	28	1520	18	1	4	2	-190	15.9	0.9					2.7
16	84	8	28	1525	18	2	4	2	185	15.9	0.9					2.7
16	84	8	28	1540	11	1	2	2	170	15.6	3.5	5	4		2	2.8
16	84	8	28	1540	11	1	2	2	170	15.6	3.5	6	3		1	2.8
16	84	8	28	1550	111	1	2	2	160	15.5	2.2	5	4		1	2.9
16	84	8	28	1555	111	2	2	2	155	15.5	2.2					2.9
16	84	8	28	1620	8	1	4	2	130	15.9	0.9	5	4		3	3.2
16	84	8	28	1620	8	1	4	2	130	15.9	0.9	5	1		1	3.2
16	84	8	28	1625	8	2	4	2	125	15.9	0.9					3.2
16	84	8	28	1630	10	1	4	2	120	15.8	0.9					3.3
16	84	8	28	1635	10	2	4	2	115	15.8	0.9	5	4		1	3.3
16	84	8	28	1640	47	1	4	2	110	15.9	0.9					3.4
16	84	8	28	1645	47	2	4	2	105	15.9	0.9	3	3	3	1	3.4
16	84	8	29	0810	21	1	2	1	-120	11.1	27.8					3.2
16	84	8	29	0815	21	2	2	1	-125	11.1	27.8					3.2
16	84	8	29	0850	27	1	2	1	-160	10.3	31.7					2.9
16	84	8	29	0855	27	2	2	1	-165	10.3	31.7					2.9
16	84	8	29	0920	25	1	2	1	-200	10.5	31.4					2.8
16	84	8	29	0925	25	2	2	1	185	10.5	31.4					2.7
16	84	8	29	0950	241	1	2	1	160	10.9	29.6					2.6
16	84	8	29	0955	241	2	2	1	155	10.9	29.6					2.5

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
16	84	8	29	1005	24	1	2	1	145	10.9	30.5					2.4
16	84	8	29	1010	24	2	2	1	140	10.9	30.5					2.4
16	84	8	29	1045	31	1	2	1	105	10.9	31.5					2.2
16	84	8	29	1050	31	2	2	1	100	10.9	31.5					2.1
16	84	8	29	1105	322	1	2	1	85	10.9	31.2					2.0
16	84	8	29	1110	322	2	2	1	80	10.9	31.2					2.0
16	84	8	29	1125	32	1	2	1	65	12.0	31.2					1.9
16	84	8	29	1130	32	2	2	1	60	12.0	31.2					1.9
16	84	8	29	1145	30	1	2	1	45	10.9	32.2					1.8
16	84	8	29	1150	30	2	2	1	40	10.9	32.2					1.7
16	84	8	29	1245	28	1	2	2	-15	11.0	31.4					1.6
16	84	8	29	1250	28	2	2	2	-20	11.0	31.4					1.7
16	84	8	29	1315	292	1	2	2	-45	12.5	30.6					1.8
16	84	8	29	1320	292	2	2	2	-50	12.5	30.6					1.9
16	84	8	29	1335	1	3	6	2	-65	17.0	2.0	5	4		2	1.9
16	84	8	29	1340	1	4	6	2	-70	17.0	2.0					2.0
16	84	8	29	1345	2	1	2	2	-75	17.7	2.3					2.0
16	84	8	29	1350	2	2	2	2	-80	17.7	2.3					2.1
16	84	8	29	1355	3	1	2	2	-85	16.7	1.7					2.1
16	84	8	29	1400	3	2	2	2	-90	16.7	1.7	6	3		1	2.2
16	84	8	29	1410	4	3	4	2	-100	17.3	2.0					2.3
16	84	8	29	1415	4	4	4	2	-105	17.3	2.0					2.3
16	84	8	29	1430	7	3	6	2	-120	16.9	2.8	3	1		1	2.4
16	84	8	29	1430	7	3	6	2	-120	16.9	2.8	3	4		1	2.4
16	84	8	29	1430	7	3	6	2	-120	16.9	2.8	5	4		5	2.4
16	84	8	29	1435	7	4	6	2	-125	16.9	2.8					2.4
16	84	8	29	1445	17	2	2	2	-135	16.8	2.7					2.5
16	84	8	29	1450	16	1	1	2	-140	18.7	3.0					2.5
16	84	8	29	1455	15	2	2	2	-145	16.8	2.7					2.6
16	84	8	29	1500	14	2	2	2	-150	18.7	3.0					2.6
16	84	8	29	1505	141	2	2	2	-155	18.7	3.0					2.6
16	84	8	29	1510	151	2	2	2	-160	16.8	2.7					2.7
16	84	8	29	1520	18	3	4	2	-170	17.7	2.9					2.7

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
16	84	8	29	1525	18	4	4	2	-175	17.7	2.9					2.8
16	84	8	29	1535	11	2	2	2	-185	17.1	0.9	5	4		1	2.8
16	84	8	29	1605	8	3	4	2	180	16.3	1.2					3.0
16	84	8	29	1610	8	4	4	2	175	16.3	1.2					3.0
16	84	8	29	1615	47	3	4	2	170	16.3	1.0					3.1
16	84	8	29	1620	47	4	4	2	165	16.3	1.0					3.1
16	84	8	30	0950	7	5	6	1	-150	15.3	0.9					3.0
16	84	8	30	0955	7	6	6	1	-155	15.3	0.9	5	4		17	3.0
16	84	8	30	1000	10	3	4	1	-160	15.3	0.5					3.0
16	84	8	30	1005	10	4	4	1	-165	15.3	0.5					3.0
16	84	8	30	1010	1	5	6	1	-170	14.8	3.5	5	4		6	2.9
16	84	8	30	1015	1	6	6	1	-175	14.8	3.5	5	4		3	2.9
16	84	8	30	1020	4	5	6	1	170	14.8	4.5					2.9
16	84	8	30	1025	4	6	6	1	165	14.8	4.5	5	4		2	2.8
16	84	8	30	1030	20	1	2	1	160	11.2	30.1	5	4		2	2.8
16	84	8	30	1035	20	2	2	1	155	11.2	30.1					2.8
17	84	9	25	1515	7	1	8	2	115	14.2	1.1					3.4
17	84	9	25	1520	7	2	8	2	110	14.2	1.1					3.5
17	84	9	25	1540	10	1	8	2	90	14.8	0.9					3.6
17	84	9	25	1545	10	2	8	2	85	14.8	0.9					3.7
17	84	9	25	1600	1	1	8	2	70	14.7	2.9					3.9
17	84	9	25	1605	1	2	8	2	65	14.7	2.9	6	3		1	4.0
17	84	9	26	0715	47	1	4	1	-120	12.7	0.1					3.5
17	84	9	26	0720	47	2	4	1	-125	12.7	0.1	3	3		4	3.5
17	84	9	26	0730	10	3	8	1	-135	15.2	1.0					3.4
17	84	9	26	0735	10	4	8	1	-140	15.2	1.0					3.4
17	84	9	26	0740	7	3	8	1	-145	13.2	1.3					3.4
17	84	9	26	0745	7	4	8	1	-150	13.2	1.3					3.3
17	84	9	26	0750	8	1	2	1	-155	13.6	1.6					3.3
17	84	9	26	0755	8	2	2	1	-160	13.6	1.6	5	4		6	3.2
17	84	9	26	0805	6	1	4	1	-170	13.0	3.0					3.2
17	84	9	26	0810	6	2	4	1	-175	13.0	3.0	5	4		2	3.2
17	84	9	26	0810	6	2	4	1	-175	13.0	3.0	5	1		1	3.2

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
17	84	9	26	0820	11	1	2	1	-185	12.8	6.1					3.1
17	84	9	26	0830	18	1	4	1	175	12.9	5.3					3.0
17	84	9	26	0835	18	2	4	1	170	12.9	5.3					3.0
17	84	9	26	0840	151	1	2	1	165	13.3	5.2	6	3		1	2.9
17	84	9	26	0845	141	1	2	1	160	13.1	3.5					2.9
17	84	9	26	0850	14	1	2	1	155	13.1	3.5					2.9
17	84	9	26	0855	15	1	2	1	150	13.3	5.2					2.8
17	84	9	26	0900	16	1	2	1	145	13.1	3.5					2.8
17	84	9	26	0905	17	1	2	1	140	13.3	5.2					2.7
17	84	9	26	0930	1	3	8	1	115	12.5	6.5	5	4		5	2.6
17	84	9	26	0935	1	4	8	1	110	12.5	6.5	5	4		2	2.6
17	84	9	26	0940	2	1	2	1	105	12.8	6.9					2.5
17	84	9	26	0945	2	2	2	1	100	12.8	6.9					2.5
17	84	9	26	0955	3	1	2	1	90	12.3	4.6	6	3		1	2.5
17	84	9	26	1000	3	2	2	1	85	12.3	4.6					2.4
17	84	9	26	1005	37	1	2	1	80	11.8	10.1					2.4
17	84	9	26	1010	37	2	2	1	75	11.8	10.1					2.3
17	84	9	26	1020	4	1	4	1	65	13.6	3.1					2.2
17	84	9	26	1025	4	2	4	1	60	13.6	3.1					2.2
17	84	9	26	1030	20	1	2	1	55	10.3	29.6					2.2
17	84	9	26	1035	20	2	2	1	50	10.3	29.6					2.2
17	84	9	26	1055	21	1	2	1	30	10.0	29.8					2.1
17	84	9	26	1100	21	2	2	1	25	10.0	29.8					2.0
17	84	9	26	1200	34	1	2	2	-35	14.5	8.8					1.9
17	84	9	26	1205	34	2	2	2	-40	14.5	8.8					1.9
17	84	9	26	1215	27	1	2	2	-50	10.8	30.2					2.0
17	84	9	26	1220	27	2	2	2	-55	10.8	30.2					2.1
17	84	9	26	1310	17	2	2	2	-105	15.0	0.5					2.4
17	84	9	26	1315	16	2	2	2	-110	15.2	0.5					2.5
17	84	9	26	1320	15	2	2	2	-115	15.0	0.5					2.6
17	84	9	26	1325	14	2	2	2	-120	15.2	0.5					2.6
17	84	9	26	1330	141	2	2	2	-125	15.2	0.5					2.7
17	84	9	26	1335	151	2	2	2	-130	15.0	0.5					2.7

Table 4 (cont'd)

CAMPBELL RIVER - 1984 - CATCH DATA

TRIP NUMBER	YEAR	MONTH	DAY	TIME PST	SN	HAUL	TOTAL SETS	TIDE TYPE	MIN TO SLACK	TEMP C	SAL	SPECIES CODE	GROUP CODE	STAGE CODE	CATCH	TIDE HEIGHT METER
17	84	9	26	1345	18	3	4	2	-140	15.1	0.4					2.8
17	84	9	26	1350	18	4	4	2	-145	15.1	0.4					2.8
17	84	9	26	1400	11	2	2	2	-155	14.7	2.5					2.9
17	84	9	26	1410	111	1	2	2	-165	14.8	1.8					2.9
17	84	9	26	1415	111	2	2	2	-170	14.8	1.8	5	4		2	3.0
17	84	9	26	1435	1	5	8	2	-190	13.9	6.7					3.1
17	84	9	26	1440	1	6	8	2	185	13.9	6.7					3.2
17	84	9	26	1450	7	5	8	2	175							3.2
17	84	9	26	1455	7	6	8	2	170							3.3
17	84	9	26	1500	10	5	8	2	165	15.0	0.1					3.3
17	84	9	26	1505	10	6	8	2	160	15.0	0.1	5	4		2	3.3
17	84	9	27	0730	47	3	4	1	-60	13.0	0.0					3.9
17	84	9	27	0735	47	4	4	1	-65	13.0	0.0	3	3		4	3.9
17	84	9	27	0750	10	7	8	1	-80	13.3	0.5					3.8
17	84	9	27	0755	10	8	8	1	-85	13.3	0.5					3.8
17	84	9	27	0800	7	7	8	1	-90			6	3		10	3.7
17	84	9	27	0800	7	7	8	1	-90			5	4		10	3.7
17	84	9	27	0810	7	8	8	1	-100							3.7
17	84	9	27	0815	6	3	4	1	-105	13.3	3.5					3.6
17	84	9	27	0820	6	4	4	1	-110	13.3	3.5					3.6
17	84	9	27	0825	1	7	8	1	-115	12.4	5.2					3.6
17	84	9	27	0830	1	8	8	1	-120	12.4	5.2					3.5
17	84	9	27	0835	4	3	4	1	-125	12.6	5.6	6	3		1	3.5
17	84	9	27	0840	4	4	4	1	-130	12.6	5.6					3.5

Fig. 1. Discovery Passage station locations.


328
321
32
322
31
30
241
24
25
26
23
27
28
292
29
22
21
212
50°10'
125°20'
QUADRA ISLAND
VANCOUVER ISLAND
DISCOVERY PASSAGE
CAMPBELL RIVER
1.0 KM/DIV.
N

Fig. 2. Campbell River estuary station locations.


VANCOUVER
ISLAND
DISCOVERY
PASSAGE
N
0.1 KM/DIV.
35
34
5
4
20
1
2
3
6
7
8
10
47
37
13
11
111
18
17
16
15
14
151